LUTEC China Head Office

CN8. Far-East Industry Park. Yuvao, Zheijang, China +86-574-62760832 info@lutec.net

LUTEC Europe Regional Office

Herentalsebaan 425 2160 Wommelgem, Belgium +32 3 284 51 62 info@lutec-europe.com

LUTEC in Germany Austria - Switzerland **ECO-LIGHT Leuchten GmbH** +49 22 22 / 82 78 5-0

sales@eco-light.biz

LUTEC in France Prof & Wholesale channel

LUTEC France S.A.S +33 04 75 60 25 68

commande@lutec-france.fr

DIY & Specialist channel **COREP SAS** +33-05-56 49 96 00

contact@corep.com

LUTEC in Iberia

Prof & Specialist channel Spain Silumin S.L. +34 93 892 40 51

silumin@silumin.es

Prof & Specialist channel Portugal **Duarte Neves LDA** +351 219 668 100

info@duarteneves.pt

DIY & Garden channel Spain & Portugal

BRIGHT and GO S.L.

+34 670 85 45 57 administracion@luteciberia.com

> Canary Islands Districan Luz

+34 928 791 179 info@districanluz.com

LUTEC in Hungary-Slovenia-Croatia Czech-Slovakia **LUTEC Lighting Kft**

+36 30 897 8494 Info@lutec.hu

LUTEC in Belgium - The Netherlands WEBRANDS Benelux

+32 3 369 26 16 info@webrands.eu

LUTEC in Italy Lightec Srl.

+39 031 3551342 info@lightecsrl.com

LUTEC in Greece - Cyprus Samba - Eliezer

+30 2104820946 info@samba-eliezer.gr

LUTEC in United Kingdom - Ireland LUTEC UK Ltd

+44 (0) 1992 760870 sales@lutecuk.com

LUTEC in Denmark - Sweden -Norway - Iceland LOPE Group A/S

+45 47 17 82 26 mail@lopegroup.dk

LUTEC in Ukraine Lusterlicht

+38 044 496 74 83 +38 067 507 02 30 sales@lusterlicht.com.ua

LUTEC in Poland **DELIGHTING Polska**

+48 61 4367 481 kontakt@delighting.pl

LUTEC in United States - Canada **LUTEC USA LLC**

+(704) 980 4135 shelley.greenberg@lutec.net

LUTEC in Iraq Al-Riyad Group Co. Ltd.

+964 782 2222033 info@alriyad.iq

LUTEC in South Korea Belko Co., Ltd

+82 2 465 0603 belko@belko.co.kr

LUTEC in Chile Manufacturas Eléctricas BvP Ltda.

+56 228 769 400 online@byp.cl

2 024

LUTEC CONNECTED BY LIGHTING

OUTDOOR LIGHTING



24 OUTDOOR LIGHTING



HELLO,

NICE TO **CONNECT** WITH YOU WE ARE



ONE LUTEC, ONE **LIGHTING** WORLD





DISCOVER WHAT'S **NEW**



INTRODUCING SOLAR HYBRID

We proudly present our latest innovation: Solar Hybrid. This cutting-edge concept combines the efficiency of solar energy with the reliability of electricity, ensuring your outdoor spaces are well-lit in all conditions.

Efficiency Meets Reliability

At the core of Solar Hybrid is advanced solarpanel technology. These panels capture sunlight during the day to power LED lights at night. What sets Solar Hybrid apart is its seamless transition to electricity when sunlight is insufficient, guaranteeing consistent illumination, regardless of the weather.

Green Lighting Solutions

Solar Hybrid exemplifies our commitment to sustainability. By harnessing solar power, these lights reduce carbon footprints and energy costs, offering an eco-friendly lighting solution.

Uninterrupted Lighting

Solar Hybrid provides uninterrupted lighting, enhancing the aesthetics of your garden, lighting up pathways, and ensuring safety in outdoor spaces. Experience the Solar Hybrid advantage today!









































CREATING A CONVENIENCE LIGHT AMBIENCE

LUTEC has a variety of portable lights, nomadic and all weatherproof. Recently some new attractive table lights were launched in the market.

Cordless Portable LED Outdoor Lights

No more hassle with wiring, you can put the LUTEC table and floor lamps wherever you want on your terrace, garden table and in your outdoor living room.

Versatile choice in design and light effects

Elegant, compact, bohemian, natural, colorful designs, Resulting in a warm white cozy light, creating gentle and unique light patterns or filling the whole terrace with a charming glow.

Convenient, comfortable and personal

We offer a variety of models reflecting everybody's own criteria. Solar models, 100% green , renewable energy, Models enhanced with LUTEC connect dynamic CCT & RGB color technology. Battery charged models all night long.







With the brand new and attractive SHYNE series, you will create the perfect light atmosphere around your home, on your terrace and in your garden.

Contemporary and unconventional

The SHYNE series boosts a present-day look and can match to more modern style homes and likewise fit in a somewhat traditional outdoor surrounding.

Looking for special light effects

The combination of the diffusor and ribbed housing results in a magnificent light and shadow effect. You choose in between a glass diffusor for cozy warm light, or opal diffusor for a homogenous light beam.

LUTEC retrofit bulbs

To complete the SHYNE luminaires, LUTEC offers retrofit bulbs as service range. These bulbs come with the LUTEC connect feature and are available in filament and RGB version.













COMPACT & AFFORDABLE DESIGNS

LUTEC launches this season a number of compact and affordable LED wall and ceiling lights. They come with excellent lighting features and are fully weatherproof for outdoor use.

Evergreen modern design revisited.

ZEBRA, KITE, TUBON, STELA, GEMINI in a nowadays and tiny jacket. Small doesn't mean weak. Excellent light output in combination with robust weatherproof materials. Versatile range with integrated LED or retrofit solutions

Compact coach lanterns

SPIRE, FIA & ZAGO traditional lanterns generating a cozy atmosphere around cottage and vintage style homes. You can apply the newest decorative filament bulbs, these lamps are now available in all forms & shades. A warm amber glow will turn your garden in a cozy and charming surrounding.

Multiple installation

These models are very convenient to apply in multiple luminaires installations. Creating a repeating light pattern on your outdoor and garden walls.























our **6** activity segments









ENJOY THE **SOLAR** SIDE OF LIGHT

SOLAR

hybrid



6989101118 / P31



smart solar











portable





6993801118 / P33













POPS 6910901012 / P55

6912401345 / P29

COPPA 6933708330 / P59

KOZY 6933701330 / P61

DIVA 6938602330 / P63

TABLE CUBE 6908001337 / P65

TABLE CUBE 6908001331 / P65

DRAGONFLY 6904101337 / P67

DRAGONFLY 6904101331 / P67

wall integrated panel



















LINKO 6912301335 / P69

MOZE 6943101012 / P71

TRY 6939101330 / P73

ARROW 6910601335 / P75

GHOST SOLAR 6901401337 / P77

BRICK 6908501308 / P79

BUBBLE 6908701001 / P81

DISO 6906702335 / P83

MOON 6906001118 / P85















6990901012 / P95 6988804012 / P97

DOBLO 6940101125 / P87

6943701125 / P89

DOBLO 6943801125 / P91

CURTIS 6934601118 / P93

SOLAR

bollard integrated panel



flood independent panel







SUNSHINE 6925701345 / P101

SUNSHINE 6925604345 / P101

SUNSHINE 6925601345 / P103



NEW!



SOLAR WITHOUT RISK THE BEST OF BOTH WORLDS

SOLAR ENERGY + ELECTRIC ENERGY

- INNOVATIVE TECHNOLOGY
- **ENERGY & COST SAVING**

NEVER BLACK OUT

COMMON INSTALLATION

AUTOMATIC SWITCH SOLAR TO ELECTRIC

- PERSONAL SETTINGS
- ALL REGIONS, NORDICS PROOF
- **ENVIRONMENTAL FRIENDLY**
- ALL SEASONS, WINTER PROOF
- **5 YEARS WARRANTY**



NO HASSLE, ALWAYS BRIGHT LIGHT WHEN YOU NEED IT

DURING DAYTIME

- · Battery charging from high-efficiency solar panel
- · Resulting charging level depending on weather and panel orientation











DURING NIGHT

- · Bright LED light fueled by free solar energy from the battery
- · Automatic switch to the electric net, when battery capacity reaches 10%













NIGHT

CONVENIANT SETTINGS ENHANCE YOUR PERSONAL COMFORT

MODELS WITH DUSK TO DOWN SENSOR

- · Bright LED Light ON, from dusk to dawn
- · Select your brightness level with High-Medium-Low Switch







100%





MEDIUM

LOW 50% 10%



- · Integrated Passive Infra Red (PIR) Motion Sensor
- · Select your operational mode, with AUTO-DIM-ON Switch
















ON












FAST CONNECTION





ZELNA

wall

The ZELNA solar hybrid wall light, taking inspiration from the DOBLO design, offers a sustainable and stylish outdoor lighting solution in a sophisticated dark grey finish.










6912401345

CLASS II IP44 LED 10W 1*2200mAh 3.7V Li-ion battery 900 Lumen Synthetics

3000K











FAST CONNECTION





INKA

wall

The INKA solar hybrid wall light stands out with its refined design, featuring a front-facing solar panel. This innovation allows for efficient solar power absorption while maintaining an aesthetically pleasing appearance, in combination with the possibility of traditional wiring.










1		off
2	700lm	Н
3	300lm	М
4	60lm	L

6989101118

CLASSI IP44 LED 10W 1*2200mAh 3.7V Li-ion battery 900 Lumen Die Cast Aluminium

3000K











FAST CONNECTION





PRIMA

integrated panel

The PRIMA solar hybrid light, drawing inspiration from the CUBA design, features a compact and minimalistic build with a solar panel. This design combines the efficiency of solar power with traditional wiring, ensuring reliable illumination in a small and sleek package.









	9.1	
1	100times	AUTO
2	100times	DIM
3	10H	on
4		066



Dark Grey

6993801118

CLASSI IP54 LED 10.5W 1*2200mAh 3.7V Li-ion battery 1000 Lumen Die Cast Aluminium













finally solar lighting

becoming smart!



solar

- Energy Saving
- Easy installation no wires needed
- Higher lumen output
- Long life solar battery

+

connected

- Easy to install, connect and control
- Fast & Stable bluetooth connection
- Lights are connected to each other via Bluetooth Mesh
- Range up to 50m
- Adjustable light settings
- Control by smart phone or motion sensor



Control and adjust your SOLAR lights

Switch your lights on or off, dim your lights, change the temperature or the color according to your mood.







High tech Low energy

Easy to control solar lights for better efficiency and comfort.











Create Groups for more convenience

Control all your lights at once! Easy and fast set up, you can add or delete any light from the group.





Manage the battery life

Check the battery level at any time. At low battery levels, switch easily from ON to PIR or OFF mode.









Control and adjust your SOLAR lights

With the LUTEC connect App you can switch your lights On/Off,dim or change the color temperature easily.

The led color feature available in either the bollard or spike, allows you to create your own personalised garden atmosphere, desiging your outdoor space in style with colors or dedicated scenes.








Create Groups for more convenience

From first detection at your driveway or path create a group which allows all lights to illuminate

Create a group with the Solar connect light through the APP.

Thanks to Bluetooth MESH the lights can be easily linked and work simultaneously



High tech Low energy



Within the application you can select OFF-AUTO-ON mode. Selecting AUTO mode activates the movement sensor, which enables the light to come on only when someone is passing and increases battery life from a single charge.

From the sensor menu you can:

- Activate the detection from near to the sensor to further away
- Set Twilight mode from dusk to dawn
- Choose light reaction time from 10 seconds to 3 minutes
- Constant light: Additional option to set your light output at 20% and also duration from 2 to 8 hours.

Manage the battery life





This feature enables you to quickly check the battery level.

You can decide to increase or decrease the brightness or switch to AUTO mode or even Off, allowing full user control.




























www.lutec-connect.world













※ Instant full light

* Dimmable via the app and voice control



TUDA

integrated panel

TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person.

















6935501330

CLASS III IP44 LED 8.5W 2*2200mAh 3.7V Li-ion battery 1000 Lumen Synthetics

















※ Instant full light

* Dimmable via the app and voice control



TUDA

integrated panel

TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person. Available with three adjustable heads.



















Matt Black

6935502330

CLASS III IP44 LED 13W 2*2200mAh 3.7V Li-ion battery 1500 Lumen Synthetics
























* Dimmable via the app or voice control

GINBO

wall & spike

The GINBO Solar lamp is good for the environment. This lamp works on solar energy! In addition, it has a modern look and fits every garden or balcony. Furthermore, it also gives exactly the light you want. Thanks to the free app you can adjust color and intensity and even save scenes. From the comfort of your own home!



















Matt Black

6938405330

CLASS III IP44 LED 7W 1*2200mAh 3.7V Li-ion battery 500 Lumen Synthetics





















FRAN

integrated panel

FRAN is a cordless, solar wall light in a modern and minimalist design. It is charged by sunlight during the day, and turns on automatically when detecting motion. The light is perfect for illuminating your main entrance, driveway or other areas with a lot of traffic. Easy installation with no cables needed. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app.




















Matt Black

6941502330

CLASS III IP44 LED 9.7W 1*2200mAh 3.7V Li-ion battery 800 Lumen Synthetics

















Dimming*

Adjustable whites

2700 K

FADI

integrated panel

Solar connected wall light FADI has a sleek and modern look. The wall lamp has a convenient sensor which will automatically turn on when it gets dark. Can be used as fence lighting or facade lighting. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app. During the day the lamp will charge itself by means of the solar panel, so that in the evening and at night you can enjoy the cozy warm white light in your garden.












6939501330

CLASS III IP54 LED 5W 1*2200mAh 3.7V Li-ion battery 800 Lumen Synthetics



Battery Item nr:9759804000
















6500 K











KARLO

bollard & spike

The modern garden pathway light KARLO is a beautiful solar lamp that can be used wirelessly anywhere outdoors. The garden path light gets its energy from the solar panel at the head of the fixture. The integrated LEDs shines and reliably illuminate the path. Thanks to the integrated motion detector, light is always available when a person approaches the luminaire. In this way, dark paths from the garage to the house can be illuminated effectively and safely.









Matt Black

6935802012

CLASS III IP44 LED 6.8W 1*2200mAh 3.7V Li-ion battery 500 Lumen Synthetics

















DIAS

bollard & spike

DIAS bollard LED Solar light with spike is a nice extension in the LUTEC connect Solar range. The perfect model to create and program the desired atmosphere for every occasion in your garden or on your terrace. Enhanced by LUTEC connect dynamic CCT & RGB colour technology.

















6996601012

CLASS III IP44 LED 8.4W 1*2200mAh 3.7VDC Li-ion battery 900 Lumen Die Cast Aluminium









complete lighting solution:

green & convenient



Solar Energy, no electricity consumption



No electrical wiring, no connection to the mains



Powerful LED Light



Full comfort Autonomy all night long



Clever & multiple control options



Easy and fast installation



Portable



Integrated solar panel



Separate Solar panel



nice to know



Solar Energy Battery Energy



Battery Energy Light Output









High efficiency monocrystalline or polycrystalline solarpanel

100 lumen up to 1800 lumen



Integrated dusk to dawn sensor, automatic switch to light-on during night



Weatherproof materials and finishing

Longer light or more powerfull light





how to choose



Compact, no extra wiring











The luminaire should be placed in the most optimal position; south orientation





The panel can be oriented in the most efficient position; south orientation (tilt angle 35° in summer - 65° in winter)

orientation of LED light





Adjustable

Directional spotlight

clever control PIR motion sensor

Smart use of the available solar energy Always light when somebody is passing

High-Medium-Low switch



Personalized choice to come to ideal combination of light output and autonomy



The Light stays in low brightness all night and turns to high brightness when it detects motion.



Li-ion rechargeable battery included

LED module with strong light output:





POPS

portable post

POPS LED Solar portable post. Straightforward design with dividable post and elegant white donut shaped diffusor. The big solar panel guarantees a powerful light during the night. Executed with a High-Medium-Low push switch giving you the possibility to extend the autonomy. The extra USB connection can be used for extra charging of the batteries.











	1 (
	480lm	
	240lm	2
3	48lm	3



Matt Black

6910901012

CLASS III IP54 LED 5.1W 1*4400mAh 3.7VDC Li-ion battery 480 Lumen Synthetics





Battery Item nr:9759805000 Battery






















POPPY

portable post

All in one Solar lighting solution. Trendy & convenient design. Listen to your favourite music on your terrace or in your garden during a lovely summer night.











6910802335

CLASS III IP54 LED 8W 1*4400mAh 3.7V Li-ion battery 300 Lumen Synthetics

3000K









COPPA

portable

The COPPA solar portable lamp is a stylish and ecofriendly lighting choice, featuring a sleek black finish complemented by woven rattan detailing. This cordless, solar-powered lamp combines aesthetics with portability, making it an elegant and versatile lighting option for your outdoor areas.



2.5h

5h

25h off









3 30lm



Matt Black

6933708330

CLASS III IP44 LED 2.8W 1*1500mAh 3.7VDC Li-ion battery 300 Lumen Synthetics





Item nr:9759808000





KOZY

portable

KOZY LED Solar table light creates a gentle and unique ray of lights. Excellent to convert your garden table or terrace in a cosy family place. All night long!



2.5h

5h

25h

off









3 30lm





6933701330

CLASS III IP44 LED 2.8W 1*1500mAh 3.7VDC Li-ion battery 300 Lumen Synthetics















DIVA

portable

DIVA LED Solar table lights create a gentle and unique light pattern, thanks to the faceted transparant diffusor. Excellent to transfer your garden table in a magical surrounding. All night long!











2-Pack



1 13lm 10h 2 off

Matt Black

6938602330

CLASS III IP44 LED 0.11W 1*900mAh 1.2VDC Ni-MH battery 13 Lumen Synthetics

4000K





44 Water Resistant -Touch Dimmer



TABLE CUBE


portable

Handy & movable outdoor solar table light. The 3 step dimmer will always give you the right atmosphere in combination with a suffcient autonomy. With the touch dimmer you can dim the white light.









White

6908001337

6908001331

CLASS III IP44 LED 1W 1*1500mAh 3.7V Li-ion battery 100 Lumen Synthetics















DRAGONFLY

portable

In the "open" position this portable solar lamp will accumulate sucient solar energy during the daytime or alternatively be charged through a built-in USB connector and included cable. In closed position it will give an inviting light when it is dark. Comes with 3 step dimmer. Available in white and silver colours.













White

6904101337

6904101331

CLASS III IP54 LED 1.2W 1*2200mAh 3.7V Li-ion battery 120 Lumen Synthetics









LINKO

integrated panel

Introducing the LINKO Solar Wall Light, a reliable solution for illuminating pathways with solar-powered efficiency. This fixture combines a sleek design, a PIR sensor for motion detection, and a built-in solar panel for eco-friendly pathway lighting.







Matt Black

6912301335

CLASS III IP44 LED 11.5W 1*1500mAh 3.7V Li-ion battery 900 Lumen Synthetics

3000K



















MOZE

integrated panel

A sleek design, the MOZE outdoor solar wall lighting is not only functional, but also a treat for the eye - during the day and in the evening. The built-in motion sensor assures you a welcoming light. The integrated LED makes it ideal for illuminating a path, but also to create the right mood on your terrace.















	61	
	75times	AUTO
2	75times	DIN
3	10H	on
		-00



Matt Black

6943101012

CLASS III IP44 LED 8W 1*1500mAh 3.7V Li-ion battery 1000 Lumen Synthetics



















integrated panel

This outdoor SOLAR with integrated solar panels combines a simple functional design with a high userfriendliness. This TRY wall light works without a power connection: you can easily install it in your garden or as mood lighting next to your front door. Thanks to the built-in motion sensor, it lights up automatically. An extra feature of this new design is the dim switch.













	× ,	
Ī	100times	AUTO
2	100times	DIM
3	10H	on
1		066



6939101330

CLASS III IP54 LED 8W 1*1500mAh 3.7V Li-ion battery 500 Lumen Synthetics















ARROW

integrated panel

Very compact Solar wall light. The small size and light weight assures an easy mounting on the smallest surfaces. Sensor-switched and executed with an inclined solar panel for a better sunlight capture.











6910601335

CLASS III IP44 LED 2.3W 1*1500mAh 3.7V Li-ion battery 180 Lumen Synthetics















GHOST SOLAR

integrated panel

Sleek and elegant design. This wall washer with integrated solar panel and wide angle PIR motion sensor offers you a strong light when











1	80times	AUTO
2	2h	on
3		off




6901401337

CLASS III IP44 LED 2.4W 1*2200mAh 3.7V Li-ion battery 260 Lumen Synthetics















BRICK

integrated panel

Minimalistic design, easy installation on all different surfaces. Elegant built-in motion sensor with wide angle and large reach will capture every movement. Time & Light sensitivity regulation possible with levers at the inside.












_		
1	120times	AUTO
2	2h	01
3		ofi



CLASS III IP44 LED 2W 1*2200mAh 3.7V Li-ion battery 150 Lumen Synthetics





















integrated panel

The solar LED wall light BUBBLE extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.











190times	AUTO
3h	on
	off


6908701001

CLASS III IP44 LED 2.3W 1*2200mAh 3.7V Li-ion battery 200 Lumen Synthetics



4000K

















DISO

integrated panel

Solar panel is perfectly integrated in the ingenious design. Ready to capture the full sunlight. Moveable head will orientate the light beam to the desired spot. The wall version comes with a PIR motion sensor which assures you a powerful light any time someone is passing. Bollard version mountable with screws or with



Dark Grey **6906702335**

CLASS III IP44 LED 2W 1*2200mAh 3.7V Li-ion battery 200 Lumen Synthetics


4000K

Battery Item nr:9759804000

804000 Bat







6906703335

1*2200mAh 3.7V

Li-ion battery

200 Lumen

Synthetics

CLASS III

LED 2W

IP44



MOON integrated panel Elegant LED Outdoor Solar wall light with downlight function. Your frontdoor area or garden wall will light up completely thanks to the powerfull light beam. The cylindric white synthetic diffusor creates a nice homogenous cool white light. Integrated switch with AUTO (with motion sensor) - DIMming - ON (permament light) - OFF 1 100times AUTO 2 100times





Dark Grey

6906001118

3 15H

CLASS III IP44 LED 9.5W 1*2200mAh 3.7VDC Li-ion battery 1000 Lumen Synthetics

on






















DOBLO

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs.

The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.
















Dark Grey

6940101125

CLASS III IP54 LED 7.5W 1*1500mAh 3.7V Li-ion battery 500 Lumen Die Cast Aluminium













DOBLO

integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The modern design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch. Available in two different sizes.









Dark Grey

6943701125

CLASS III IP44 LED 12W 1*1500mAh 3.7V Li-ion battery 1000 Lumen Die Cast Aluminium

















DOBLO

integrated panel

Despite its modest shape, the LED outdoor wall light DOBLO appears to be extremely practical. A solar panel on the luminaire generates electricity from sunlight, which is stored in a rechargeable battery. You can choose between four settings. The LEDs are installed behind the rectangular diffuser and emit universal white light in all directions.















1	60times	AUTO
2	60times	DIM
3	10H	on
4		0PP

6943801125

CLASS III IP54 LED 16.5W 1*2200mAh 3.7V Li-ion battery 1800 Lumen Die Cast Aluminium















CURTIS

integrated panel

LED Solar wall light, with an opal diffusor and square aluminium frame.

The integrated PIR motion sensor will capture all movement and assures a powerful warm white light when somebody is passing throughout the night.











	140times	AUTO
2	5.5h	on
,		220



Dark Grey

6934601118

CLASS III IP54 LED 3W 1*1500mAh 3.7V Li-ion battery 300 Lumen Synthetics





















integrated panel

The FIA solar LED wall light is the perfect companion of the FIA traditional electrified range. Now, you have the option to mount this model on places without an electicity network. The filament low voltage bulb is included.









6990901012 CLASS III

IP44 E27 LED 2W

1*1500mAh 3.7VDC Li-ion battery 200 Lumen

Die Cast Aluminium

2700K



Battery Item nr:9759808000






LED 2W 200 Lumen











FLAIR


independent panel

FLAIR bollard LED Solar light is perfectly fit for lighting of gardenpaths or the driveway of a cottage style house. Full installation freedom, no cables needed. Turns on automatically when it gets dark in the evening. The filament low voltage bulb is included.



Matt Black 6988804012

CLASS III IP44 E27 LED 2W 1*1500mAh 3.7VDC Li-ion battery 200 Lumen



CLASS III IP44 E27 LED 2W 1*1500mAh 3.7VDC Li-ion battery Die Cast Aluminium









LONDON

integrated panel

Classic 6 side lantern powered with Solar energy. The almost invisible Solar panel at the roof of the lantern has a large capacity with an autonomy of more than 10 hours during night time. Comes with 3 retrofit filament bulbs, creating a warm & gentle light. The die-cast aluminium post can be mounted on a paved surface thanks to the included metal mounting bracket. For unpaved surfaces, you can use the special spike, available as an accessory.



Matt Black

6951301189

CLASS III IP44 LED 6W E12/incl. 1*2200mAh 7.4V Li-ion battery 300 Lumen Die Cast Aluminium


3000K

Battery Item nr:9759801000




9700359330


Synthetics



9700357000

LED 2W 250 Lumen





Wiring system





Dark Grey


6925701345

CLASS III IP54 LED 7W 1*1500mAh 3.7V Li-ion battery 500 Lumen Synthetics



5000K






SUNSHINE

independent panel


This SUNSHINE wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long. Comes with an PIR motion sensor. The moveable spot head gives a very powerful lightbeam.




6925604345

CLASS III IP54 LED 11W 1*2200mAh 3.7V Li-ion battery 800 Lumen Synthetics











Wiring system



SUNSHINE

independent panel

Elegant & powerful flood light offers a complete solution wherever there's no electrical power connection available. Ideal for illuminating your courtyards & driveways. The separate moveable solar panel comes with a 5 meter connection cable and can be positioned on the best spot to capture sunlight. Featuring an adjustable (time & distance) PIR motion sensor.









Dark Grey


6925601345

CLASS III IP44 LED 7.5W 1*2200mAh 3.7V Li-ion battery 500 Lumen Synthetics





















LIGHT UP YOUR GARDEN IN **STYLE**

ARCHITECTURAL







CUBA 5193808118 / P119



CUBA 5193803118 / P123



CUBA 5193803012 / P123



CUBA 5193814118 / P123



FELE 5196301118 / P127



CONROY 5107001118 / P115



CUBA 5193811118 / P117



CUBA 5193801118 / P119



CUBA 5193801012 / P119



EKLIPS 5199001118 / P129



CYRA 5198101118 / P131



CYRA TUBON 5198102118 / P131 5198501118 / P133



TRUMPET 5626001118 / P135



TRUMPET 5626101125 / P135



EXPLORER 6609202118 / P137



PANO 5289001118 / P139



MOON 5206001118 / P141



POLO 5205701118 / P143



POLO 5205702118 / P143



APOLLO 5188801118 / P145



KITE 5203301345 / P147



KIRA 5288902118 / P149



KIRA 5288903118 / P149



QUBO 5195401118/ P151



QUBO 5195404118/ P151



QUBO 5193001118 / P153



QUBO 5193013118 / P153



QUBO 5193002118 / P153



STELA 5197401118 / P157



DOBLO 5197002125 / P159



DOBLO 5105001125 / P161



DOBLO 5105002125 / P161



DOBLO 5105003125 / P163



DOBLO 5107401125 / P163



BOX CUBE 5184601118 / P165



ADALYN 5193602118 / P167



HEROS 5288201118 / P169



HEROS 5288202118 / P169



SHYNE 5197501012 / P173



ZEBRA 5203501118 / P175



FULTON 5207601012 / P177



NILA 5043104424 / P179

ARCHITECTURAL



URBAN 5196501118 / P181



LOTUS 5193201118 / P183



GRIDY 5289401469 / P185



GEMINI BEAMS 5104005118 / P187



GEMINI BEAMS 5104003012 / P187



GEMINI BEAMS 5104003032 / P187



GEMINI BEAMS 5104006012 / P189



RIALTO 5287901012 / P191



GEMINI XF 5104001118 / P193



GEMINI XF 5104002012 / P193



GEMINI XF 5104004001 / P193



GEMINI 5189114118 / P197



GEMINI 5189125012 / P197



GEMINI 6389101118 / P199



GEMINI 6389102012 / P199



GEMINI 5189102118 / P201



GEMINI 5189113118 / P201



GEMINI 5189102032 / P201



GEMINI 5189103118 / P201



GEMINI 5189135118 / P201



GEMINI 5602734118 / P203



GEMINI 5189101118 / P205



GEMINI 5189112118 / P205



GEMINI 5189112012 / P205



GEMINI 5189104118 / P207



BONN 6330401118 / P209



MAYA 5198302001 / P211



MAYA 5198401001 / P211



RAN 5011701461 / P213



VIDAR 5011602461 / P215



LEO 5192701335 / P217



LEO 5192701330 / P217



BRUND 5206701012 / P219



MARBO 5288001118 / P221



CYPRES 6604001118 / P223



CYPRES 6604002118 / P223



CYPRES 6604003118 / P225



RIDGE 5107101118 / P227



FOCUS 5604021001 / P229



FOCUS 5604011118 / P231



FOCUS 5604101118 / P231



FOCUS 5604014118 / P233



FOCUS 5604023118 / P235



FOCUS 5605013118 / P239



BULLO 6383001118 / P241



LUPS 6402801118 / P243



HELENA 6402105012 / P245



HELENA 6402101118 / P245



HELENA 5191605012 / P249



HELENA 5191601118 / P249

ARCHITECTURAL



HELENA 5191602118 / P249

wall & ceiling



















SHYNE 6397501012 / P173

FOCUS

6304201118 / P237

HELENA 5102101118 / P247

ROLA

6382201118 / P251

ROLA 6382201012 / P251

TITAN 6336201118 / P253

KAYAH 6392202457 / P255

SWEEP 6303401118 / P257

GOLETA 5205801012 / P259

bollard







7193803118 / P121



CUBA 7193802118 / P125



CUBA 7193802012 / P125



CUBA 7193805118 / P125



FELE 7196301118 / P127





7105701118 / P143



KIRA 7288902118 / P149



QUBO 7193001118 / P155



QUBO 7193004118 / P155



HEROS 7288201118 / P169



FULTON 7207601012 / P177



GEMINI XF 7104001118 / P195



GEMINI XF 7104002012 / P195



CYPRES 6604004118 / P225



FOCUS 7204803118 / P237



9702201012 / P261



















ROBLE

portable

The ROBLE outdoor LED lamp in black is not only efficient but also exceptionally portable. Its lightweight and cordless design makes it an ideal choice for illuminating various outdoor settings with ease and flexibility.






Matt Black

8500601012

CLASS III IP54 LED 1.1W 100 Lumen 3.7V 2200mAh Li-ion battery Die Cast Aluminium






FAST CONNECTION







CONROY

wall & bollard

What makes the CONROY wall & bollard light very multifunctional is its rotatable light components. You can shine these up or down and play with the light. The lamp comes with an integrated LED, which shines warm white light of 3000K.



5107001118

CLASS I IP44 LED 17.8W 1300 Lumen Die Cast Aluminium








CLASS I IP44 LED 17.8W 1300 Lumen Die Cast Aluminium

7207001118





















wall

Modern & versatile outdoor wall light with integrated LED module. The light head with double diffuser can be rotated over 90° and is equipped with a motion sensor and powerful lightbeam of more than 1000 lumen.







Dark Grey

5193811118

CLASS I IP54 LED 14W 1000 Lumen Die Cast Aluminium






















wall

Modern & versatile wall lights suitable for vertical and horizontal mounting. The 2 light heads can be rotated over 350°, resulting in up - down or side light effects. Available with a warm white and daylight white integrated LED module.











red<mark>dot</mark> design award winner 2019




5193801012 5193801118

CLASS I IP54 LED 12.2Wx2 1000 Lumen Die Cast Aluminium



3000K






5193808118

CLASS I IP54 LED 12.2Wx2 1000 Lumen Die Cast Aluminium



4000K













red<mark>dot</mark> design award winner 2019







bollard

This modern outdoor bollard is your best friend and companion. With its 75cm the CUBA bollard leads you along the darkest paths. And that's not all, it's available with a warm white and daylight white integrated LED module. Both versions will create an excellent atmosphere.




Dark Grey

7193801118

CLASSI IP54 LED 12.2Wx2 900 Lumen Die Cast Aluminium







7193803118


CLASS I IP54 LED 12.2Wx2 900 Lumen Die Cast Aluminium











wall

CUBA, design award winning LED light, now available in a one head version with warm light or daylight integrated LED module.

Resulting in a compact solution providing the same superb lighting effects and orienation flexibility.









Matt Black Dark Grey

5193803012 5193803118

CLASS I IP54 LED 12.2W 500 Lumen Die Cast Aluminium





CLASS I IP54 LED 12.2W 500 Lumen Die Cast Aluminium


















Dark Grey

7193802012 7193802118

CLASSI IP54

LED 12.2W 500 Lumen Die Cast Aluminium






7193805118 CLASSI

IP54 LED 12.2W 500 Lumen 16A - Max. 3500W Die Cast Aluminium










Integrated **Dusk to Dawn**









wall & bollard

Wall & bollard light FELE brings outdoor lighting with an architectural value, including rotatable head. FELE wall light fits perfectly at your front door, the head can give an up or down powerful lightbeam. A combination of technical excellence and tasteful design.



Dark Grey

5196301118

CLASS I IP54 LED 13.5W 1000 Lumen Die Cast Aluminium



3000K




7196301118

CLASS I IP54 LED 13.5W 1000 Lumen Die Cast Aluminium



3000K






















wall

Multi purpose LED Outdoor wall light with two half-moon shape diffusors. You can turn these two lightheads over an angle of 90°, creating a combination of an Up & Down light, a wall washer or a frontal light effect.






Dark Grey

5199001118

CLASS I IP54 LED 13W 1000 Lumen Aluminium+Synthetics











wall

Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes also in a motion sensor version.



CLASSI








CLASS I IP54 LED 16.5W 1000 Lumen Die Cast Aluminium

5198102118
















Dark Grey **5198101118**

IP54 LED 16.1W 950 Lumen Die Cast Aluminium

3000K











TUBON

wall


Meet the TUBON Outdoor Wall Light in Dark Grey, featuring a GU10 retrofit socket and a moveable light head. This versatile fixture offers a stylish yet functional solution for outdoor illumination, allowing you to direct light where it's needed most, all while adding a touch of elegance to your exterior space.



Dark Grey

5198501118

CLASS I IP54 GU10 LED Max.7W Die Cast Aluminium











TRUMPET

wall

Accentuate your outdoor places with this powerful LED wall light with moveable spothead.

Now also available in small version with a light output of 600 lumen.







Dark Grey

5626001118

CLASS I IP54 LED 10W 900 Lumen Die Cast Aluminium

4000K



5626101125

CLASS I IP54 LED 6.7W 600 Lumen Aluminium+Synthetics

















EXPLORER

wall & spike

Elegant and compact spotlight orientable horizontally and vertically, featuring a warm white LED light beam. The separate spot-cap can be used to direct the light beam to avoid any glare. Available in wall version and spike version with wire and plug.










6609202118 Dark Grey

CLASSI IP54 LED 5.9W 380 Lumen Die Cast Aluminium










6609201118

CLASSI IP54 LED 5.9W 380 Lumen Die Cast Aluminium


















PANO

wall & bollard

An elegant LED Outdoor wall & Bollard light with an ultra flat , frameless diffusor. Comes with an integrated adjustable colour switch. You can tune the light colour from warm white to cool white in a very convenient way.



Dark Grey

5289001118

CLASS I IP54 LED 17.5W 1300 Lumen Die Cast Aluminium



3000K-5000K





7289001118

CLASS I IP54 LED 17.5W 1300 Lumen Die Cast Aluminium



3000K-5000K







MOON

wall

Elegant LED Outdoor wall light with downlight function. Your frontdoor area or garden wall will light up completely thanks to the powerful light beam. The cylindric white synthetic diffusor creates a nice homogenous daylight or warm white light. Convenient control thanks to the manual switch (3000K/4000K).



FAST CONNECTION








Dark Grey

CLASS I IP44 LED 11.1W 1000 Lumen Die Cast Aluminium



3000K/4000K

5206001118










FAST CONNECTION





POLO

wall & bollard

A touch of modern simplicity and an enchanting light for your garden or patio. The POLO wall light & bollard made of aluminum offers a downward-facing, bright beam of warm-white LED light, making it ideal for lighting your outdoor spaces. The wall light model comes also with motion sensor, perfectly integrated in the luminaire base.



Dark Grey **5205701118**

CLASSI IP54 LED 15W 1100 Lumen Die Cast Aluminium

3000K





5205702118

CLASSI IP54 LED 16.1W 1100 Lumen Die Cast Aluminium

3000K








7105701118

CLASSI IP54 LED 15W 1100 Lumen Die Cast Aluminium











APOLLO

wall

Wall light with an optimal light combination. The narrow light beam shows a visually striking effect and the front diffusor radiates a homogeneous warm white LED light without any shadow. Ideal companion next to your front door.



Dark Grey

5188801118

CLASS I IP54 LED 14W 800 Lumen Die Cast Aluminium











KITE

wall

Introducing the KITE outdoor wall light, featuring an elongated design in a sophisticated dark grey finish. This fixture boasts a tall, upward-reaching structure, making it a striking addition to your outdoor space while providing ample illumination.



Dark Grey **5203301345**

CLASS II IP54 LED 8.8W 770 Lumen Synthetics












➤ "Also available in LUTEC version" see page 359



KIRA

wall & bollard

The KIRA outdoor LED wall & bollard light featuring a bended and frameless diffusor, distributes a homogenous white light (4000K) to illuminate walls, pathways and other open spaces around your home.



Dark Grey **5288902118**

CLASS I IP54 LED 17.3W 1100 Lumen Die Cast Aluminium





5288903118

CLASS I IP54 LED 18W 1100 Lumen Die Cast Aluminium





7288902118

CLASS I IP54 LED 17.3W 1100 Lumen Die Cast Aluminium







5195401118

CLASSI IP54 LED 9.5W 650 Lumen Die Cast Aluminium E

3000K





5195404118

CLASSI IP54 LED 9.5W 850 Lumen Die Cast Aluminium E

4000K











"Also available in LUTEC version" see page 357





QUBO

wall

Wall light creating a stunning atmosphere while making an architectural statement. Ideal for general lighting around your house, in your garden or on your terrace. Also available with fully adjustable PIR motion sensor.







Dark Grey

5193001118

CLASS I IP54 LED 17.3W 1100 Lumen Die Cast Aluminium



3000K



5193013118

CLASS I IP54 LED 17.3W 1300 Lumen Die Cast Aluminium





5193002118

CLASS I IP54 LED 14W 800 Lumen Die Cast Aluminium























QUBO

bollard

QUBO dark grey bollard diffuses a stunning homogenous light. Ideal for general lighting in your garden or terrace. This model is now also available with integrated PIR motion sensor



Dark Grey **7193001118**

CLASS I IP54 LED 17.3W 1100 Lumen Die Cast Aluminium



3000K






7193004118

CLASS I IP54 LED 17W 1000 Lumen Die Cast Aluminium









"Also available in LUTEC version" see page 357





FAST CONNECTION









wall

The STELA Outdoor Wall Light draws design inspiration from the well-known CUBA, offering a compact and a high light output solution for outdoor illumination. This fixture combines practicality and style to bring understated elegance to your exterior spaces.




Dark Grey

5197401118

CLASS I IP54 LED 14W 1100 Lumen Die Cast Aluminium














This LED wall light in anthracite grey sits in a cubic holder made of durable die cast aluminium. The elegant design catches the eye and radiates powerful rays of warm white light that illuminate the wall.



Dark Grey **5197002125**


CLASSI IP54 LED 14.5W 1100 Lumen Die Cast Aluminium
















Dark Grey 5105001125

CLASS I IP54 LED 19.1W 1500 Lumen Die Cast Aluminium

3000K






5105002125


CLASS I IP54 LED 19.1W 1500 Lumen Die Cast Aluminium



































FAST CONNECTION









BOX CUBE

wall

Striking form fits in all your contemporary garden spaces. The opal impact proof diffuser offers the perfect homogeneous light without any shadows. Elegant construction with no screws on the surface. The E27 Edison fitting is suitable for all kind of retrofit





Dark Grey

5184601118

CLASS I IP44 E27 Max.60W Die Cast Aluminium











This compact wall light will turn your garden into an intimate place and welcomes you at home.

Smooth radiation of warm white LED light.



Dark Grey

5193602118

CLASS I IP44 LED 10.2W 600 Lumen Die Cast Aluminium











wall & bollard

HEROS the evergreen cylindrical LED Outdoor Light. Robust yet subtle, thanks to the double transparent and white ribbed polycarbonate diffusor. The HEROS family consists of a wall light, a wall light with a perfectly integrated PIR sensor and a bollard with a convenient 360° light beam. Suitable for E27 retrofit bulbs, not included.




Dark Grey **5288201118**

CLASSI IP44 E27 LED Max.15W Die Cast Aluminium



5288202118


CLASSI IP44 E27 LED Max.15W Die Cast Aluminium





7288201118

CLASSI IP44 E27 LED Max.15W Die Cast Aluminium

















wall & ceiling

The SHYNE family of lighting fixtures, all in a modern black finish, features E27 sockets for versatility. This collection includes two wall lights, a ceiling light, and a bollard, offering a coordinated and stylish lighting solution for your outdoor space.









FAST CONNECTION



5197501012

CLASS I IP54 E27 LED Max.25W Die Cast Aluminium



6397501012

CLASS I IP54 E27 LED Max.25W Die Cast Aluminium














The ZEBRA outdoor wall light, featuring a dark grey finish and a distinctive striped design, incorporates an E27 socket. This fixture combines aesthetics with functionality, offering a stylish yet budget-friendly way to illuminate your outdoor space.





Dark Grey **5203501118**

CLASS I IP44 E27 LED Max.25W Die Cast Aluminium







wall & bollard


An evergreen concept catches the eye. FULTON wall & bollard series with retrofit solution feel right at home in your garden. The robust design with multiple bars attracts the attention in any outdoor space.



Matt Black


5207601012

CLASS I IP54 E27 Max.40W Die Cast Aluminium



7207601012

CLASS I IP54 E27 Max.40W Die Cast Aluminium







FAST CONNECTION













The NILA is a modern style bulkhead design, which is perfect for installation in entrance areas or on any other wall of the house. This outdoor luminaire provides a pleasant light intensity and the IP44 classification means it is weather resistant and suitable for outdoor use. Constructed from dark grey stainless steel with an E27 bulb socket. For energy-saving lighting, it is recommended to use an opal LED bulb which will also create an attractive lighting effect.





Dark Grey **5043104424**

CLASS II IP44 E27 Max.40W Die Cast Aluminium










GU10 retrofit LED Outdoor dark grey wall light, suitable for the newest smart bulbs. The invisible lightbulb creates a subtle light effect on your external walls.






Dark Grey **5196501118**

CLASS II IP54 GU10 LED Max.7W Die Cast Aluminium







LOTUS

wall

Captivating design with a beautiful up & down light effect. This elegant wall light is the perfect addition to your entry door.



Dark Grey **5193201118**

CLASS I IP54 LED 11W 500 Lumen Die Cast Aluminium

3000K







GRIDY

wall

Compact LED Outdoor wall light with grill design.
Can be used in horizontal and vertical position. Ideal
to create lovely patterns on garden walls in double
or triple installation. Comes in the actual colour: mat
white




White


5289401469

CLASS I IP54 LED 14.5W 700 Lumen Die Cast Aluminium

















GEMINI BEAMS

wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diaphragms can be adjustated to 4 different patterns. These will create beautiful light patterns on your exterior walls. Now also available in white,



White

5104003012

5104003032 Dark Grey **5104005118**

CLASS I IP54 LED 10W 400 Lumen Die Cast Aluminium

3000K



CLASSI

400 Lumen

Die Cast Aluminium


IP54 LED 10W











GEMINI BEAMS

wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diaphragms can be adjustated to 4 different patterns. These will create beautiful light patterns on your exterior walls. New in the range is the matt black rounded version.



BLACK edition

Matt Black


5104006012

CLASS I IP54 LED 10W 400 Lumen Die Cast Aluminium


















RIALTO, LED Outdoor Up & Down light can be seen as the elegant combination of two extra flat square forms. The light up is adjustable to 3 different patterns, thanks to the mechanical built-in ring with diaphragms.





Matt Black

5287901012

CLASS I IP44 LED 21W 850 Lumen Die Cast Aluminium





























GEMINI XF

bollard

The bollard GEMINI XF is perfect to install along you garden paths as there is no sky pollution thanks to the one direction powerful light beam. XF stands for "EXTRA FLAT"



Dark Grey

7104001118

Matt Black 7104002012

CLASS I IP54 LED 9.5W


750 Lumen

Die Cast Aluminium

CLASS I IP54 LED 9.5W 750 Lumen

650






195









5189114118

Matt Black **5189125012**

CLASS I IP54 LED 9W 850 Lumen Die Cast Aluminium

CLASS I IP54 LED 9W 850 Lumen Die Cast Aluminium

4000K



















GEMINI

ceiling

The GEMINI ceiling has a minimalistic design, the elegant brick light radiates a perfect light beam. This small ceiling version is available in 2 different colors and with 2 different kelvins, a warm white and a daylight white light.







FAST CONNECTION









6389101118

E

CLASSI

IP65 LED 7W 750 Lumen

4000K

Die Cast Aluminium

Matt Black **6389102012**

CLASSI IP65 LED 7W 750 Lumen Die Cast Aluminium

E

3000K















GEMINI

wall

Minimalistic design but great light output.
This elegant "brick" light in die-cast aluminum radiates a perfect bi-directional beam. Next to the actual finishes: dark grey, white and stainless steel, we introduce now a brand new version in an imitation wood look.



Wood Look
Dark Grey

White S/S

5189135118 5189102118 5189102032 5189103118

CLASS I IP54 LED 10.5W 700 Lumen Die Cast Aluminium







CLASS I IP54 LED 10.5W 700 Lumen

Die Cast Aluminium

5189113118















The modern-style GEMINI outdoor wall light is constructed from dark grey die cast aluminum, with a frosted glass diffuser. Designed for use with retrofit E27 lamps, such as G45 or T45, so you can choose the desired light effect you want to achieve on your wall. The compact width of 170mm means the GEMINI is convenient to install on any wall around the house.












Dark Grey **5602734118**


CLASS I IP44 E27 Max.40W Die Cast Aluminium





"Also available in LUTEC version" see page 361





GEMINI

wall

The medium version is very convenient for an installation on larger external wall or entrances.

Thanks to the light output of 1230 lumen the light beam will cover the full surface in two directions.

Available in warm white (3000K) and in daylight (4000K) execution.








Matt Black

5189101118

CLASS I IP54 LED 21W 1230 Lumen Die Cast Aluminium



4000K





5189112012 5189112118

CLASS I IP54 LED 21W 1230 Lumen Die Cast Aluminium















The large version in this family is very convenient for an installation at a certain height for larger external walls or entrances. Thanks to a light output of more than 3000 lumen, the light beam will cover the full surface in two directions.




Dark Grey 5189104118

CLASS I IP54 LED 46W 3300 Lumen Die Cast Aluminium



40**0**0K







BONN

wall

This elegant anthracite or stainless steel wall light fits in perfectly with your contemporary outdoor surrounding. It creates a perfect bi-directional light effect on your walls. The small vertical window in the front adds to the character. The traditional E27 fitting is suitable for energy saving bulbs but also for the latest LED retro-fit bulbs.







Dark Grey

6330401118

CLASS I IP54 E27 Max.60W Die Cast Aluminium









MAYA

wall

This small Up & Down wall light in Aluminium with stainless steel cover has a timeless design and is slim and efficient. Rectangular version comes with motion sensor.







5198302001

CLASSI IP44 LED 14.5W 1000 Lumen Stainless Steel



3000K






5198401001

CLASSI IP44 LED 18.5W 1200 Lumen Stainless Steel



3000K















RAN is an Extreme Climate Proof wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit 2xGU10 solution, bulbs are not included.






Galvanised

5011701461

CLASS II IP54 GU10 LED Max.2*7W Metal

















VIDAR

wall

VIDAR is an Extreme Climate Proof square wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit E27 solution, bulb is not included.






Galvanised

5011602461

CLASS II IP54 E27 LED Max.25W Metal


























CLASS I IP54 LED 14.5W 750 Lumen Die Cast Aluminium










FAST CONNECTION





BRUND

wall

BRUND is a modern Up & Down wall light. The double asymmetric conic form stands for a tasteful addition to your garden or home. It comes wit a double GU10 fitting, bulbs are not included.





Matt Black

5206701012

CLASS I IP44 GU10 LED Max.2*15W Die Cast Aluminium





MARBO

wall

Up & Down LED light revisited, MARBO shows an updated and fresh design, combining round and square geometric elements. Suitable for GU10 retrofit spot lights. The ideal solution to create distinctive light patterns around your house.





Dark Grey

5288001118

CLASS I IP44 GU10 LED Max.2*15W Die Cast Aluminium







FAST CONNECTION











CYPRES

wall

CYPRES designs showing updated possibilities for Up & Down LED lighting. Thanks to the adjustable heads, you can create distinctive and perfectly positioned light patterns on the outdoor walls of your house. Suitable for GUIO retrofit spot lights, not included.










Dark Grev


6604001118

CLASS I IP44 GU10 LED Max.7W Die Cast Aluminium



6604002118

CLASS I IP44 GU10 LED Max.2*7W Die Cast Aluminium










FAST CONNECTION












FAST CONNECTION





CYPRES

wall & bollard


CYPRES designs showing updated possibilities for Down LED lighting. Thanks to the adjustable double heads, the wall and bollard model will create distinctive and perfectly positioned light patterns on the outdoor walls and pathways around your house. Suitable for GU10 retrofit spot lights, not included.



Dark Grey


6604003118

CLASS I IP44 GU10 LED Max.2*7W Die Cast Aluminium



6604004118

CLASS I IP44 GU10 LED Max.2*7W Die Cast Aluminium









FAST CONNECTION





wall


The RIDGE is a dark grey wall lamp with Up & Down light made of aluminum. The lamp is finished with opal diffusors which give a nice spread of light. The modern design is a tasteful addition to your garden or home. This lamp has two GU10 fittings.



Dark Grey 5107101118

CLASS I IP54 GU10 Max.2*25W Die Cast Aluminium





FOCUS

wall


Round shapes in premium stainless steel showing a soft & shiny appearance. The correct position of the GU10 bulb will guarantee the perfect light pattern for this wall washer.






5604021001

CLASS I IP44 GU10 Max.2*35W Stainless Steel









FOCUS

wall

Heavy duty die-cast aluminum versions available in anthracite color in combination with clear glass diffusors, giving a robust construction and a perfect light radiation both functional as decorative.







Dark Grey **5604011118**

CLASS I IP44


IP44 I GU10 Max.2*35W C Die Cast Aluminium I



5604101118

CLASS I IP44 GU10 Max.35W Die Cast Aluminium









FAST CONNECTION





wall

Evergreen FOCUS design, Up & Down Outdoor LED wall light, now also available with movement detection. The black and compact PIR sensor is perfectly integrated in the housing. Time and Twilight setting manually adjustable.





5604014118

CLASS I IP44 GU10 LED Max.2*7W Die Cast Aluminium







FOCUS

wall

FOCUS, Up & Down wall light, comes now in a Dusk to Dawn execution. The D2D sensor is perfectly integrated in the evergreen and original LUTEC design.





Dark Grey

5604023118


CLASS I IP44 GU10 Max.2*35W Die Cast Aluminium




Integrated Dusk to Dawn Sensor













ceiling & bollard

Cylindrical versions with the very typical single or double horizontal light glow. This range is equipped with a traditional GU10 fitting and are suitable for retrofit LED bulbs.







Dark Grev


6304201118

CLASS I IP44 GU10 Max.35W Die Cast Aluminium

7204803118

CLASS I IP44 GU10 Max.35W Die Cast Aluminium









wall

Square execution in die-cast aluminum, with an integrated LED engine comes in a downlight version and in an up & down light version.






Dark Grey

5605013118

CLASS I IP44 LED 8.3W 500 Lumen Die Cast Aluminium













wall

LED Outdoor aluminium wall & celling light, in a modern interpretation of the classic bullseye design. Radiates a homogenous and strong warm white light.



Dark Grey


6383001118

CLASS I IP54 LED 14.5W 1100 Lumen Die Cast Aluminium














6402801118

CLASS I IP54 LED 14W 450 Lumen Die Cast Aluminium















wall

Small orientation wall light with opal diffusor is very convenient for a built-on installation. Thickness of the luminaire is only 31mm. No more hassle to make a hole in your garden wall. Available in 2 different combinations: matt black/3000K and dark grey/4000K.









6402105012 Dark Grey 6402101118

CLASSI IP54 LED 4.5W 200 Lumen Die Cast Aluminium

CLASSI IP54 LED 4.5W 200 Lumen Die Cast Aluminium E

3000K


















HELENA

wall & ceiling

The outdoor Helena LED wall and ceiling light sits in a large and elegant die cast aluminum frame. This extra slim design will illuminate your outdoor space and give a strong & homogeneous light output. Can be combined with HELENA rectangular & square wall lights.



Dark Grey


5102101118

CLASS I IP54 LED 21.5W 1500 Lumen Die Cast Aluminium













Die Cast Aluminium

CLASS I IP54 LED 11W 450 Lumen

3000K

CLASSI

LED 11W

450 Lumen

IP54


Die Cast Aluminium


4000K


5191602118

CLASSI IP54 LED 11W 450 Lumen Die Cast Aluminium

4000K






















6382201012 6382201118

CLASS I IP54 LED 13W 800 Lumen Die Cast Aluminium











TITAN

wall & ceiling

Medium sized wall & ceiling light with a decorative aluminium cover creating the desired effect for the location. With traditional Edison fitting, it is suitable for energy saving bulbs, up to 60W. Easy installation with a standard loop in loop out wiring







6336201118

CLASS I IP54 E27 Max.60W Die Cast Aluminium









Dark Grey


6392202457

CLASS I IP54 LED 16.5W 1250 Lumen Die Cast Aluminium





FAST CONNECTION







SWEEP

wall & ceiling

The SWEEP LED outdoor ceiling light with its powerful LEDs provides absolutely reliable, energy-efficient and glare-free lighting for outdoor applications. With its modern and simple design, it hardly stands out, but provides safe lighting in the evening and at night. Armed with an integrated manual switch to select the desired colour temperature. Warm White or



Dark Grey

6303401118

CLASS I IP54 LED 23.5W 1600 Lumen Die Cast Aluminium



3000K/4000K


































wall & ceiling

GOLETA LED Outdoor Ceiling light combines a flat and contemporary design with a number of convenient options. Integrated manual switch to select Warm White or Cool White light. Powerful and homogenous light glow in the front and subtle light glow on the back. Seperately controllable with the standard room switch.






5205801012

CLASS I IP54 LED 24.3W 1700 Lumen Die Cast Aluminium




3000K/4000K

















MAINS

These dark grey outdoor power supply sockets in die cast aluminium are very easy to install and provide your entire garden with energy, so you can enjoy your outdoor space . Comes with side earth or pin earth version. Total power supply up to 3500W. Small bollard with one socket with side earth








Matt Black **9702201012**

CLASSI IP54 16A - Max.3500W Die Cast Aluminium





9702202012

CLASSI IP54 16A - Max.3500W Die Cast Aluminium





9702203012

CLASSI IP54 16A - Max.3500W Die Cast Aluminium









THERE'S A NEW TRADITION



TRADITION

wall



SPIRE 5290603012 / P267



SHIVA 5206501012 / P269



ZAGO 5294502012 / P271



FIA 5290903012 / P273



WEST 5207901012 / P275



PINE 5296602012 / P277



FLAIR 5288801012 / P279



FLAIR FL/ 5288802012 / P279 528



FLAIR 5288814012 / P281



FLAIR 5288803012 / P281



FLAIR 5288804012 / P281



KELSEY 5273701012 / P285



KELSEY 5273702012 / P285



KELSEY 5273601012 / P285



KELSEY 5273603012 / P285



CATE 5264201213 / P291



FIA 7290901012 / P273



PINE 7196601012 / P277



KELSEY 7273604012 / P287



FLAIR 7288801012 / P283



KELSEY 7273605012 / P289



7264210213 / P291





PINE 7196603012 / P277



C, 289 72



portable



pendant





SPIRE

wall

The SPIRE outdoor wall lamp with E27 socket offers a classic and timeless design in black, characterized by its square form. This traditional fixture brings a touch of elegance and sophistication to your outdoor setting while providing functional and reliable lighting.






Matt Black

5290603012

CLASS I IP44 E27 Max.10W Die Cast Aluminium











wall

Elegant, stylish and yet contemporary. SHIVA is a wall to the classical lantern goes hand in hand with a modern finish and a characteristic artisanal touch. Clear transparent glass.





Matt Black


5206501012

CLASS I IP44 E27 Max.40W Die Cast Aluminium






















wall

Inspired by the old-fashioned carriage lamp model, this ZAGO outdoor lamp will create a warm and






Matt Black

5294502012

CLASS I IP44 E27 Max.40W Die Cast Aluminium



9705516000 9705517000











5290903012

CLASS I IP44 E27 Max.40W Die Cast Aluminium



9705514000 9705515000

7290901012

CLASSI IP44 E27 Max.40W Die Cast Aluminium



spare glass 9705514000 9705515000 CLASSI IP44 3*E27 Max.40W Die Cast Aluminium

7290903012



spare glass 9705514000 9705515000













FAST CONNECTION







WEST

wall

your front door or garden shed. Elegant combination of the matt black open frame and the clear cylindric glass. You can apply the newest E27 filament LED bulbs, now available in all forms & shades. (bulb not included)






Matt Black

5207901012

CLASS I IP44 E27 Max.40W Die Cast Aluminium











FAST CONNECTION



PINE

wall & bollard

The stylish outdoor light PINE, combines a rustic touch with contemporary aluminium with sleek lines and the shapes of the clear glass that protects alongside your terrace or can accentuate a façade.



5296602012

CLASSI IP44 E27 Max.40W Die Cast Aluminium

spare glass 9705519000

7196601012

CLASSI IP44 E27 Max.40W Die Cast Aluminium



spare glass 9705519000



7196603012

CLASSI IP44 3*E27 Max.40W Die Cast Aluminium









wall

The FLAIR lantern family in cottage style gives you your garden & around your house in the same style.









Matt Black

5288801012

CLASS I IP44 E27 Max.40W Die Cast Aluminium



spare glass 9788801000



5288802012

CLASSI IP44 E27 Max.40W Die Cast Aluminium



























small wall & double wall

These two wall lanterns will create extra possibilities to work out the desired luminaires design around your home and beside your entry doors. Comes also with E27 fitting suitable for the newest filament LED bulbs.



Wood Look Matt Black

5288814012 5288803012

CLASS I IP44 E27 Max.40W Die Cast Aluminium




5288804012

CLASS I IP44 2*E27 Max.40W Die Cast Aluminium















FLAIR

portable & bollard

The portable version, with an 1.5 meter outdoor wire and plug, will create a cosy atmosphere on your garden tables & terraces. The bollard makes the FLAIR family complete. Also these two executions are suitable for F27 filament I FD retrofit bulbs



Matt Black

6588801012

CLASS I IP44 E27 Max.40W Die Cast Aluminium






7288801012

CLASS I IP44 E27 Max.40W Die Cast Aluminium









KELSEY

wall

this complete outdoor light family. While using the newest you will create a charming atmosphere on your outside and clear glass diffuser.



Water Glass Matt Black

Clear Glass

5273701012 5273702012

CLASS I IP44 E27 Max.40W Die Cast Aluminium







5273601012

5273603012

E27 Max.40W

Die Cast Aluminium

9705503000 9705508000

CLASSI

IP44

9705501000 9705502000 9705506000 spare glass 9705507000







KELSEY

bollard & pendant

KELSEY pedestal and the new introduced pendant can be applied to complete your light plans and create a charming and warm atmosphere on your terrace or



Clear Glass

CLASS I IP44 E27 Max.40W Die Cast Aluminium



spare glass 9705508000

7273604012



6273601012

CLASS I IP44 E27 Max.40W Die Cast Aluminium







KELSEY

bollard

While using the newest "filament" retrofit LED a charming atmosphere along your garden paths. Available with 2 different types of glass, water glass



Matt Black

7273605012

Clear Glass

CLASS I IP44 E27 Max.40W Die Cast Aluminium



spare glass 9705508000



7273606012


CLASS I IP44 3*E27 Max.40W Die Cast Aluminium



spare glass 9705508000











Rust Matt

5264201213

CLASS I IP44 E27 Max.40W Die Cast Aluminium





7264210213

CLASS I IP44 E27 Max.40W Die Cast Aluminium



spare glass 9705505000




7264230213

CLASS I IP44 3*E27 Max.40W Die Cast Aluminium



9705505000



SECURITY FOR YOUR **COMFORT**



SECURITY

connected camera



FLAIR 5288811012 / P303



CUBA 5193812118 / P305



POLLUX 5196004118 / P307



ELARA 5267106001 / P309



ELARA 5267106118 / P309



DRACO 7622220012 / P311



LIBRA 7632406053 / P313



flood



MAYA 5198401001 / P319



QUBO 5193002118 / P321



LEDA 5267103001 / P323



CYRA 5198102118 / P325



SUNSHINE 7625601345 / P327



SUNSHINE 7625701345 / P327



ARTICA 7635605331 / P329





ARC 7632201053 / P331



SHRIMP 7622221012 / P333



SHRIMP 7622222012 / P333



SHRIMP 7622104330 / P333



LUTEC

always **connected** with your home

As market initiator, LUTEC is your reliable partner for the connected camera light category.

The third generation of this range has been developed based on learnings and consumer insights and by applying the gains and innovations of the fast-evolving connected camera technology.

This has resulted in a versatile range of decorative and functional camera light fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.





LUTEC outdoor camera light

everything is under control

light

camera

<u>audio</u>

detection

- Powered for lighting
- High definition camera
- Adjustable motion Sensor
- See, talk and dialogue



connected

- Create groups with other lights
- ▼ Recieve notifications







Receive an alert when someone approaches your home







Get live notifications via your smartphone when someone approaches your door

Keep an eye on your house anytime, anywhere







Enable you to take a picture or record a video from wherever you are.

Listen and talk live with your visitors








Talk with your delivery person, you will never miss your expected parcel

Thanks to Bluetooth MESH

- Quick and easy to find the device and start the configuration process immediately
- Actively send feedback of a problem during the network configuration
- Create groups with your camera light and trigger other LUTEC connect lights on





EASY

TO CONNECT





Thanks to Wifi





Be notified and exchange with people away from home.

Keep in touch with home, images are accessible 24 hours a day from your smartphone, including

Voice control ready Works with LUTEC access box sold separately.





Powered for lighting

- · Switch your lights on or off
- Dim your lights
- Change the color temperature



Camera high definition

- High-definition video recording at night
- H265-video file size is halved
- Video playback and transmission speed are doubled
- · Alert sensitivity: High, Medium, Low

HD CAMERA





Adjustable motion Sensor

- Detection reach from near to far distance
- Twilight settings from dark to dusk
- Light time reaction from 10 seconds till 3 minutes
- Constant light: Set your light output at 20% during all night



Secure storage

- SD card Already installed in the product
- Ready to use
- Storage capacity 16 GB

SECURE STORAGE







See, talk and dialogue

Listen and speak to visitors from wherever you are.

Trigger the siren straight from your app when there is an intruder.

Start continuous recording to get view of the whole event

DIALOGUE













Visit our dedicated website




www.lutec-connect.world











FLAIR













5288811012

CLASSI IP44 E27 Max.40W Die Cast Aluminium





















※ Instant full light

* Dimmable via the app and voice control



wall

Extension of the design award winning CUBA series, this smart security camera light will keep an eye on your home. Features an ntegrated camera, speaker, micro and motion sensor all controllable in one App. Multiple orientation possibilities of the light-head, camera and motion sensor.











Dark Grey

5193812118

CLASS I IP44 LED 17.3W 1000 Lumen Die Cast Aluminium























※ Instant full light

* Dimmable via the app and voice control



wall

Compact and elegant aluminium wall light The tubular design makes a good fit at you front or back door. Features an integrated camera, speaker, micro and motion sensor all controllable in one App











Dark Grey

5196004118

CLASS I IP44 LED 18.8W 1200 Lumen Die Cast Aluminium




















Dimming* Adjustable whites 2700 K * Instant full light * Dimmable via the app and voice control

INSIDE

6500 K

ELARA











CLASS II

LED 17.5W

1300 Lumen

Stainless Steel

IP44

5267106001 Dark Grey 5267106118

CLASS II IP44 LED 17.5W 1300 Lumen Stainless Steel

















DRACO














7622220012

CLASS I IP44 LED 19W 1200 Lumen Die Cast Aluminium
























CONNECTION



LIBRA

wall & ceiling

Double head projector in the LUTEC connected camera range. The two "wings" feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The automatic plug-in connection allows a simple & easy installation. The multiple orientation possibilities will give you full flexibility to cover the desired area.













White

7632406053

CLASS I IP44 LED 36W 3400 Lumen Die Cast Aluminium















Passive infrared (PIR) motion sensor How does it work?

A PIR sensor detects changes in the amount of infrared radiation and converts this changes into a switch-on signal.

When a person makes a movement within the detection reach, the sensor will detect a difference in infrared radiation in between the person's body and the environment.











The detection area is a combination of the reach in distance and angle. An adjustable sensor can be tilted and/or turned and gives you full freedom.





Comfortable detection area

Time setting

As from the moment the sensor detects a movement the light stay on from 10 seconds upon 8 minutes according your preference.



Twilight setting

The environment brightness can be adjusted according vour selection from night (10 lux) to daylight. In this way the light will switch into the "ON" position according the selected outside light level and not during the day.



Distance setting

You can limit the detection distance in accordance with the desired detection area. In this way you can avoid a movement detection outside your private grounds.



For your convenience

Dusk to dawn

Automatic light on switching as soon it's dark outside



Ambient Light

Light stays on all night long in a gentle ambient light, after movement detection the light switches on a powerful light beam.



Double sensor

Assures you a full detection not only frontal but also underneath the luminaire close to the wall.

Test mode

You can define the perfect detection area during installation in daylight situation























How to choose?

Check in a few steps which InMotion Security Sensor Light suits the best for your home situation.



BASED ON SENSOR DETECTION REACH



X-LARGE

18-25M

LIGHT

LARGE 12-15M



X-WIDE 180°



WIDE 120°



/ SENSOR \

TILT & TURN TURN

BASED ON LUMINAIRE CHARACTERISTICS

LUMINAIRE TYPE FLOOD

LIGHT HEADS \

MOVEABLE

LIGHT / OUTPUT \

X-POWERFUL 1700 - 3200 LUMEN

POWERFUL 800 - 1500 LUMEN

FIXED



YES OR NO







MAYA






5198401001

CLASSI IP44 LED 18.5W 1200 Lumen Stainless Steel






















QUBO



Dark Grey

5193002118

CLASS I IP54 LED 14W 800 Lumen Die Cast Aluminum




















LEDA









5267103001

CLASS II IP44 LED 15.5W 1400 Lumen Stainless Steel



S/S

















Dark Grey

5198102118

CLASSI IP54 LED 16.5W 1000 Lumen Die Cast Aluminum














SUNSHINE

wall

Elegant & powerful flood light, ideal for illuminating larger areas as your courtyards & driveways. The rectangular head can be directed over 2 axes. Comes with a high quality and fully adjustable PIR motion sensor with a detection reach up to 18 meter. Now











7625601345 CLASS II IP54 LED 15.4W 1100 Lumen Synthetics 136.5 136.5 136.5 1380 136.5 1380

DISTANCE













Adjustable whites

2700 K

6500 K

- * Instant full light
- * Dimmable via the app and voice control





wal

Modern sensor 2 heads floodlight with high-quality design, ideal for illuminating large areas around buildings thanks to its high light output. A PIR sensor with 180° registration angle and a range of up to 18m are fully integrated. Pleasant and powerful light thanks to the high-quality LED panel. The integrated LED connected module will give you all the freedom to control your light on your smart devices.












7635605331

CLASS II IP44 LED 14.5W 1200 Lumen Synthetics



White
























wall & ceiling

Elegant double head projector with fully adjustable motion sensor. The two "wings", feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The multiple orientation possibility gives you full flexibility to cover the desired area.





White **7632201053**

CLASS I IP54 LED 13W 1200 Lumen Synthetics







SHRIMP

wall & ceiling






Matt Black **7622221012**

CLASSI IP54 LED 23.5W 1700 Lumen Die Cast Aluminum

4000K






7622222012

CLASSI IP54 LED 23.5W 1700 Lumen Die Cast Aluminum















7622104330 CLASS II

IP54 LED 12W 1250 Lumen Synthetics





500ÔK







CONNECTED LIGHT

portable







NOMA 8506204331 / P345 8500102331 / P347



PEPPER



wall



CUBA 5193810118 / P351



DROPSI 5010901118/ P353



DROPA 5000501118 / P355



QUBO 5193004118 / P357



5288909118 / P359



GEMINI 5189120118 / P361



spike

bollard



MINI LETO 6602903424 / P349





7193003118 / P357







accessory



9704401361/ P370

ACCESS BOX

DAWNY

9760002330/ P373



make your outdoor life **smarter**


















Control & Adjust your lights from your bedroom to your garden




control your light like magic

LUTEC has a great range of connected lights. You immediately set the mood in and around your home with the magic of coloured light. Once you have connected your lights to your mobile phone, you can play with light like it's a piece of cake.





CCT



CCT+RGB



Vary the intensity and white temperatures

By varying the white temperature, you can go from a soft and pleasant warm white for relaxing or enjoying an evening with friends, to a cooler white simulating daylight and providing more powerful lighting.

Light in color

can create a festive atmosphere, transform your terrace into a cozy and pleasant space, enhance your garden decoration or simply choose your favorite scene. A color and mood for any time of day or night.

the LUTEC connect app

For a full smart lighting experience














the smart remote control

With Double Integrated function

Simplicity is our promise, as nothing beats the convenience of remote control Full functionality without Internet access No Router & No Wifi required







Point & Play




盈的盈

the 2 in 1 smart way

For an easy control


2 in 1 function

A standard wall switch will allow the luminaire to go from a warm light (2700k) with an additional click to a more intense daylight (4000k).



Control every light

Inside or outside the house



why Bluetooth Mesh?

Full scalability towards all your indoor and outdoor living spaces

Bluetooth technology, the global standard for wireless connectivity, now supports mesh networking

Easy & stable connection Long range indoor & outdoor Connect up to 100 devices



further on the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system.

Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home


The complete LUTEC Connect lighting portfolio is Voice Control Compatible




turn on the light!
















Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.

visit the dedicated website

to support and inspire our consumers in their experience

www.lutec-connect.world





touch control



app control



charging











Adjustable whites 2700 K RGB

Dimming

Activity lights

















Ocean Forest Romance

NOMA

portable

NOMA is a modular, spheric light which can be used at any desired place indoor & outdoor. Create diverse coloured light scenes by means of App, Touch or Remote control. The starter kit comes with 2 light modules and a charger station (incl. USB cable). Multiple extension possible with the NOMA+ additional module.









noma+



additional module

smart lighting technology







8506201331

White

CLASS III IP44 2×LED 2.3W 1200mAh 2×3.7V Li-ion battery 2×150 Lumen Synthetics









8506204331

CLASS III IP44 LED 2.3W 1200mAh 3.7V Li-ion battery 150 Lumen Synthetics















Dimming

Adjustable whites 6500 K

Activity lights

RGB



















PEPPER


portable

PEPPER is a modern, design award winning portable table lamp which is suitable both indoors and outdoors. It can be positioned, moved as desired and the brightness can be adjusted. The battery is easy to charge via the USB connector and included charging cable. PEPPER invites you to lift it up and take it wherever you want. Take it on a picnic or create cozy lighting in your living room. PEPPER is made of hard plastic and is durable against wind and water.











8500102331







White

CLASS III IP54 LED 4.5W 2200mAh 3.7V Li-ion battery 200 Lumen Synthetics













MINI LETO

spike & wall

Give your garden extra atmosphere with this MINI LETO outdoor garden lighting. The integrated connected LED module will not only feature warm white or bright white light but any color you want. Two way installation possible.





6602903424







Dark Grey

CLASS II IP65 LED 8W 400 Lumen Die Cast Aluminium











wall

Rectangular, modern & versatile outdoor wall light with integrated connected LED module suitable for vertical and horizontal mounting. The light head with double diffuser can be rotated over 90°. Aslo available with motion sensor.





smart lighting technology










Dark Grey

5193810118

CLASS I IP54 LED 15W 1000 Lumen Die Cast Aluminium
























DROPSI

wall

Make your garden an inviting place with this contemporary DROPSI wall lamp. The moveable spotlight head consists of a double diffuser that will accentuate your outdoor space and, in combination with the connected LED module, will create a very nice immersive effect.





smart lighting technology



5010901118







Dark Grey


CLASS I IP44 LED 9.5W 690 Lumen Die Cast Aluminium













wall & bollard

The DROPA outdoor wall & bollard light in anthracite grey with integrated connected LED module is made of durable aluminium. The design consists of a double diffuser, one transparent and one opal, that will diffuse in a 360° radius for optimal illumination of paths and other outdoor areas.





smart lighting technology












CLASS II IP44 LED 9.5W 500 Lumen







CLASSI IP44 LED 9.5W 500 Lumen Die Cast Aluminium

7200501118







▶ "Also available in non connected version"see page 153/155








QUBO

wall & bollard

QUBO dark grey wall & bollard light diffuse a stunning homogenous connected light. Ideal for general lighting in your garden or terrace.





smart lighting technology



5193004118







Dark Grey

CLASS I IP54 LED 16W 1000 Lumen Die Cast Aluminium







7193003118

CLASS I IP54 LED 16W 1000Lumen Die Cast Aluminium























Reading Relaxing

KIRA

wall & bollard

The KIRA outdoor connected LED wall & bollard light featuring a bended and frameless diffusor. Distributes a homogenous white light to illuminate walls, pathways and other open spaces around your home.











Dark Grey

5288909118

CLASS I IP54 LED 19W 1200 Lumen Die Cast Aluminium








7288906118

CLASSI IP54 LED 19W 1200 Lumen Die Cast Aluminium












► "Also available in non connected version"see page 205

Forest Romance



Ocean






GEMINI

Wall Up & Down

Minimalistic die-cast wall light with a light output of 900 lumen, the light beam will cover the full surface in the two directions. This elegant 'brick' light in dark grey ensures a perfect light beam thanks to the connected LED module.



smart lighting technology



5189120118








Dark Grey

CLASS I IP54 LED 17W 900 Lumen


Die Cast Aluminium











touch control



Light on/off

app control



timer function





MAINS

bollard

The MAINS bollard socket light, with integrated Cloud access box, facilitates away-from-home control for all the devices in your LUTEC connect network.

Convenient full control with the LUTEC connect App including Timer function. Or basic touch control with light on/off button. Comes with two side-earth sockets. Total power supply up to 3500W.



smart lighting technology









Matt Black

7202201012

CLASS I IP44 LED 11W 750 Lumen 16A - Max. 3500W Die Cast Aluminium











CONTROL AT THE TIP OF YOUR FINGERS

ACCESSORY

LUTEC connect





ACCESS BOX

9704401361/ P370



SMART SWITCH

9706201361/ P371





9760002330/ P373



SERVICE COMPONENTS

batteries



BATTERY PACK 9759804000/ P374







bulbs





8711802311/ P379

spare glasses



CLEAR GLASS 9705518000/ P376



CLEAR GLASS SIDE 9705517000/ P376



CLEAR GLASS FRONT 9705516000/ P376



CLEAR GLASS 9705519000/ P376



CLEAR GLASS FRONT 9788801000/ P376



CLEAR GLASS SIDE 9705515000/ P377



CLEAR GLASS FRONT 9705514000/ P377



CLEAR GLASS SMALL 9788802000/ P377



WATER GLASS FRONT 9705501000/ P377

WATER GLASS SIDE 9705502000/ P377



CLEAR GLASS SIDE 9705507000/ P377



CLEAR GLASS FRONT 9705506000/ P378



WATER GLASS 9705503000/ P378



CLEAR GLASS 9705508000/ P378



CLEAR GLASS 9705505000/ P378









Control every light

Inside or outside the house Bluetooth Group control



You can add as many smart lighting devices as you want to one of the 3 groups (A-B-C).

I/O push button switches on-off all the lights of the same group.



REMOTE

accessories

A 2-in-1 remote control that allows you to switch the power off from the top half by pointing to change the intensity of the light, the color changing temperature. and access the colors or even multiple varied scenes. From its lower part, you can turn a group of lamps on or off from anywhere in the house.



smart lighting technology



9702315361





White

Infra Red individual control Plastic






expand the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system. Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home.

The complete LUTEC Connect lighting portfolio is Voice Control Compatible





Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.



ACCESS BOX

accessories

Small in size, it can be easily installed. Even if this accessory is not essential for the proper functioning of the complete system, it is however necessary to access certain functionalities such as voice control but also the programming of one or more lamps over time or according to a particular condition such as the weather.



smart lighting technology







White

9704401361

Smart switch Plastic







Click to turn on/off the light



Press and rotate to change the color temperature



the brightness



Long press to change the mode warm white cold white niaht liaht party



Rotate to change



Function Buttons A/B/C



- 1. Long press to add the device to the group
- 2. Short press to activate and control group devices
- 3. Long press knob and button A to reset the device



accessories

SMART SWITCH

Very ingenious, this accessory can be easily attached thanks to its 3M self-adhesive system. No need to connect to the electrical network, it allows you to switch on and off with a single click or to vary the intensity and temperature of the lamps in a room or in a zone defined in the application. 3 zones are possible A, B, C allowing a wide coverage, for example the lamps of the room where the switch is installed, the exterior lighting or a complete zone such as a ground or a complete floor.



smart lighting technology





9706201361

White

Smart switch Plastic













Easy & fast pairing with LUTEC connect app



Adjust in the LUTEC connect app, Time, Twilight and Distance settings



Works with all the LUTEC connect devices except Solar connect range

DAWNY

accessories

Automatically control your outdoor lights with DAWNY outdoor & indoor motion sensor. Place the wireless,battery - powered detector anywhere and trigger your lights at any movement.

Versatile mounting options: Ceiling, Wall and Corner.







smart lighting technology





Matt Black

9760002330

CLASS III IP44 $2\times1.5~V~1300\,\text{mAh NiMH AA battery}\\ \text{Sensor}\\ \text{Plastic}$

|- -⊢Ø8







LUTEC RECHARGEABLE BATTERIES

9759801000

Type Li-ion rechargeable Voltage 7.4V Capacity 2200mAh Connection 1mm round



6951301189 LONDON



9759804000

Type Li-ion rechargeable Voltage 3.7V Capacity 2200mAh Connection NA



6912401345 ZELNA 6989101118 INKA 6993801118 PRIMA 6935501330 TUDA 6935502330 TUDA 6938405330 GINBO 6941502330 FRAN 6939501330 FADI 6935802012 KARLO 6904101337 DRAGONFLY 6904101331 DRAGONFLY 6908501308 BRICK 6943801125 DOBLO 6908701001 BUBBLE 6906702335 DISO 6906703335 DISO 6901401337 GHOST SOLAR 6925604345 SUNSHINE 6925601345 SUNSHINE 6906001118 MOON 6996601012 DIAS

9759805000

Type Li-ion rechargeable Voltage 3.7V Capacity 4400mAh Connection SM flat



6910802335 POPPY



6910901012 POPS

9759808000 Type Li-ion re

Type Li-ion rechargeable Voltage 3.7V Capacity 1500mAh Connection NA



LINKO 6912301335 COPPA 6933708330 KOZY 6933701330 TABLE CUBE 6908001337 6908001331 TABLE CUBE **ARROW** 6910601335 **CURTIS** 6934601118 6943101012 MOZE TRY 6939101330 DOBLO 6940101125 6943701125 DOBLO 6988804012 FLAIR 6925701345 SUNSHINE 6990901012 FIA 6988802012 FLAIR

9759813000

Type Li-ion rechargeable Voltage 3.7V Capacity 2200mAh Connection SM flat



8500601012 ROBLE



LUTEC SPARE GLASSES





LUTEC SPARE GLASSES









LUTEC RETROFIT LOW VOLTAGE BULBS



LUTEC SPIKE



LUTEC Icons



Fix & Spike mounting



Spike mounting



No electric wiring

Schuko



No tools required



Loop In - Loop Out



French



Tools



Spare glass



Light angle



Up & Down

LUTEC Icons - PIR motion sensor



PIR motion sensor



Sensor activation



Detection reach

TIME



Detection angle



Adjustable sensor Tilt & Turn



Distance setting





Adjustable sensor Turn



Twilight setting





Distance setting





Test & Time setting

LUTEC Icons - Solar



Integrated solar panel



Dusk to Dawn



Separated solar panel



Portable



Solar panel



Touch dimming



Moveable solar panel



3 step dimming



connection & cable



Hybrid

LUTEC Icons - Connected Light





SD Card included



Adjustable camera



Suitable for smart bulb



Video



Remote control



Fast & stable connection



App control



DIALOGUE

Voice control

introducing our company

50 years of experience

The origins of a lighting company.

Originally set up as a national aluminum die-cast factory, we gained our first experience of outdoor lighting by producing bulkhead lights & classical garden lanterns. The first export shipment was made in 1996. The new factory in Yuyao became operational in 2001, concentrating on modern garden and professional lighting.

The LUTEC brand was launched in 2010, focusing on architectural LED lighting and the introduction of solar energy products. The success of the company resulted in the opening of a second production facility in 2012, fully devoted to future developments in design and new technologies.



Nowadays, Lighting is both essential and magic.

The challenge of the lighting market is to create products which are a balance between the shape, impact and attractiveness. The LED revolution has completely changed the game, giving many new opportunities. Added to this we must not only continue to offer the latest technical innovations but also anticipate and provoke them, especially with solar energy and smart lighting controls.

We have expanded our international network and organisation: with new central warehouses in Belgium and China, establishing partners in many new countries allowing us to continue building our corporate identity and providing our partners with unique product support and marketing tools.

welcome to the lutec center connected by lighting

The future is always here.

Today we are all surrounded by the interactive and connected world. For many reasons it is evident that the lighting market must also embrace this new internet age. The need of control and adjustments by means of an app or remote control has become a must have feature.

LUTEC offers multiple programmable solutions through the LUTEC connect app, for the Outdoor, Solar and Camera smart ranges.

Recently new developments in the SOLAR light domain have been introduced : Solar Hybrid & Solar Dynamic.





This is where the magic is born.



The LUTEC centre located our HQ in Yuyao is an international meeting venue where new concepts, innovation & strategies are studied, created, and shared with our partners. Recently, we've fully updated our showroom featuring attractive presentation of our new developments and actual ranges. You can obtain a sneak preview by scanning the QR code.

We provide an expert platform in design, sales and services. Staying close to our customers, allows the right design solutions to be found for their consumers.

Our team is trained to be proactive and reactive. The key to realise a win-win product, is to explore all the possibilities, look outside the box to find the best solution.

design & engineering

design, engineering & manufacturing, all interactive.

One of the main decisions we have taken in the LUTEC organisation is to break down the walls between of each department to improve product strategy.

This brings a culture of flowing communication between the services where everybody has a positive role to play in all projects.





We all know development is complex with many obstacles to overcome. However, working together helps our team to aim for the perfect solution as smoothly as possible.

Knowledge is shared at all levels. Creativity, marketing, engineering, production, and sales are seen as one.





warehousing & transport


global logistic footprint assuring availability & proximity.



Unlike many other manufacturers in this sector, LUTEC keeps significant levels of finished goods in the central warehouses in Europe and China. Our aim is to reduce the lead time wherever possible.



The European Central Warehouse is now fully operational for more than 5 years, resulting in a proven logistic performance with a service level well over 93%. Overtime the ECW portfolio has increased up to 350 sku's with permanent availability.



Thanks to this warehouse located in Belgium, centrally situated in Europe. with an average lead time for most shipments is less than 7 days, the LUTEC products are always within reach.

We offer different transport options: direct shipment, cross docking, drop shipment or pick-up. this in close co-operation with each local LUTEC partner.

Recently we've arranged an appropriate set-up to assure different value adding trade marketing services in the ECW.







ECWEuropean Central
Warehouse
Bornem - Belgium



LUTEC quality



As a global supplier, our products are fully compliant with all relevant technical & quality requirements of the different regions in the world.



All LUTEC LED products benefit from a 5-years functional warranty. For the SOLAR range we apply a standard 2-years operational warranty.

LUTEC Warranty Conditions, please check on www.lutec.com/warrantv



Integrated LED Light-engines


The LUTEC in-house engineering/production departments only use primary component suppliers. constantly improving the performance of the total LED product, resulting in a higher lumen/watt ratio.

Low Energy Cost: LUTEC products offer at least an 80% saving compared to traditional

Long Lifetime: up to 20.000 hours

LUTEC LED-light engines featuring the most appropriate characteristics in order to give the best result for all your outdoor applications.

- Lumen Maintenance: 100% LM-80 test report
- Color deviation: 100% under 5-step MacAdam ellipse



























Energy efficient LED lighting

continuous improvement

LUTEC makes a continuous effort to improve the Energy Efficiency of their luminaires:


- Development of Solar ranges with zero energy consumption
- Introduction of retrofit items, suitable for Energy Class A LED light bulbs.
- · Pushing the Energy Efficiency classes of the total portfolio from F-E-D to C-B-A level step by step.


LUTEC Outdoor Portfolio

All LUTEC outdoor luminaires, within the scope of the updated EU-regulation 2021 are fully compliant. This results in the attribution of an updated classification with Energy Efficiency Classes in between A & G.

"Containing Products" Classification

The compete range of LUTEC luminaires has been classified as Containing Products with aremovable and (non) replaceable LED-module. As a result the new Energy Efficiency Class is related to the LED-Module and not to the complete luminaire as such





REPLACEABLE (LED ONLY)

IENERG* LUTEC 5193801118M

LED Module - Energy Efficiency Class

In order to make it clear that the test results are related to the LED Module, a specific FEL label was created with a "M" (Module) indication behind the item nr.

This EEL label can't be shown on the packaging of the complete Outdoor Luminaire. In the Instruction Manual we indicated the Energy Class of the concerned light Source (= LED Module)

EPREL Database

Consumers can access the database by scanning the QR code featured on the new energy labels. The EPREL database offers detailed information of all registered LUTEC products.

Available information on www.lutec.com

On our LUTEC website all related information is available for consultation and easy download of specific documents:

- Energy Label
- Instruction Manual
- Product Information sheet (with test results)
- Light Source Remove instructions









LUTEsustainable & environmental vision



We believe outdoor lighting is a unique category with a vast number of specific requirements and challenges. Our aim is to provide creative solutions, innovative designs using quality materials and products.

Our categories include architectural designs with creative forms of illumination. Functional products, combining tough materials with stylish appeal, decorative products ranging from classic to ultra-modern shapes. Solar lighting that incorporates the latest trends alongside unique technologies. All this to support the ever changing climates around the world.

Our commitments to everyday actions





Durable Products

LUTEC outdoor luminaires are made from durable materials s uch high density die-cast aluminium and synthetics glass, fully weatherproof, to last for many years.



Zero-Plastic Packaging LUTEC has started the complete ban of plastic bags in their consumer packaging as from mid 2021.







Responsible Production & Operations

The roofs of LUTEC production facilities are equipped with high efficiency solar panels (10 000m2) resulting in a green energy saving: 50% of our annual energy consumption.

Sustainable Functions & Features

LED Lights: 80% less energy vs traditional light sources

SENSOR Lights: consume energy only when you need light

CONNECTED Lights: smart control of the lights can save up to 90%







SOLAR Lights: 100 % green energy

Focus on development of effcient and smart Solar luminaires made with panels:

- Without any rare earth element
- Can be recycled and reused up to 4 times Last year, more than 400 000 homes were equipped with a new LUTEC Solar light.



materials & finishes

LUTEC exterior luminaires are produced using high quality materials and finishes with excellent weather protection properties as well as mechanical strength to ensure a long lifetime.

Heavy duty die-cast Aluminum (ADC 12) with a thickness of 2mm, is in most cases the preferred material. The LUTEC in-house fully automatic powder-coating & water painting installation provides excellent protection against corrosion.



Different kind of durable synthetics, depending on the application and form factors. Forthe fixtures: ABS, a strong and light-weighted material, can be used under low and high outdoor temperatures. For the opal or transparent diffusors: the impact proof and very resistant PC (polycarbonate) is used. Also clear glass, tempered glass and opal or clear PMMA (plexi-glass) are common in our designs.

LUTEC benefits from an in-house tooling workshop for both aluminum and synthetic components.

IP rating table

The LUTEC Outdoor fixture comply to the International standards concerning Ingress Protection. All articles have a minimum IP44 rate. For some specific applications (Ex. in ground recessed spots) the protection rate goes up to IP67.

	Protection against solids		Protection against liquids
0	Not Protected	0	Not Protected
1	Protected against Solid Objects greater than 50mm	1	Protected against Dripping Water
2	Protected against Solid Objects greater than 12mm	2	Protected against Dripping Water when tilted to 15°
3	Protected against Solid Objects greater than 2.5mm	3	Protected against Spraying Water
4	Protected against Solid Objects greater than 1mm	4	Protected against Splashing Water
5	Dust Protected	5	Protected against Water Jets
6	Dust Tight	6	Protected against Heavy Seas
		7	Protected against the effects of Immersion
		8	Protected against Submersion

Color Indication

Dark Grey Matt Black

Silver Grey

Bronze S/S

Chrome

Galvanised Wood Look

White

Matt Rust




mounting, installation & maintenance

Instruction Manual

LUTEC pays a lot of attention to a user friendly and effective yet simple instructions,

we strive to find time saving methods of installation using uniquely designed interfaces where possible. Every LUTEC Outdoor fixture has a clear instruction manual in the unit box and this manual can also be downloaded from our website. Clear explanations in 16 European languages.







Our service network is available on global level through our LUTEC Partners. Contact details:

www.lutec.com/services/global-network



LUTEC brand identity

packaging

The LUTEC corporate identity has been invigorated in line with our evolving brand values. New trade support tools and POSs have been created to support our products and our customers providing an integrated selling solution, all of which adds value and distinguishes the LUTEC offer from our competitors.





LUTEC applies on regular base graphic updates on the packaging of our complete portfolio, to improve the overall consumer perception and understanding. We believe the new look of the new packaging is fresh, vivid and in tune with our style of products. The product is always the hero with an inspiring photography. The LUTEC logo is visible from all sides of the packaging , together with the emblematic green banner this will further improve the brand recognition.

The LUTEC SOLAR and LUTEC SECURITY unit-box graphics were launched in the market for the LUTEC connect Solar and LUTEC connect Camera ranges. By means of a distinctive color indication, Orange for Solar & Red for Security, the consumers will easily recognize the difference with the standard LUTEC outdoor ranges.

LUTEC brand identity

rich content

We're constantly creating new communication materials to support and improve the presentation of LUTEC products, facilitating an easy consumer selection of one of the LUTEC products.

All support materials are accessible through our refreshed website www.lutec.com. Where you can find the LUTEC database with all kind of "rich content": Product photos, Lifestyle photo's, Tutorials, Inspirational video's, Flash-Intro video's, Unpacking experiences, and many more.












LUTEC





All Night Iona

INDEX



Index: as per ITEM NO.

NEW ITEM	NAME F	AGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE
5000501118	DROPA	355	5189135118	GEMINI	201	5198102118	CYRA	325	5288804012		281
5010901118	DROPSI	353	5191601118	HELENA	249	5198302001		211	5288811012		303
5011602461	VIDAR	215	5191602118	HELENA	249	5198401001	MAYA	211	5288814012	FLAIR	281
5011701461	RAN	213	5191605012	HELENA	249	5198401001		319		KIRA	149
5043104424	NILA	179	5192701330	LEO	217	5198501118	TUBON	133	5288903118	KIRA	149
5102101118	HELENA	247	5192701335	LEO	217	5199001118	EKLIPS	129	5288909118	KIRA	359
5104001118	GEMINI XF	193	5193001118	QUBO	153	5203301345	KITE	147	5289001118	PANO	139
5104002012	GEMINI XF	193	5193002118	QUBO	153	5203501118	ZEBRA	175	5289401469	GRIDY	185
5104003012	GEMINI BEAMS	187	5193002118	QUBO	321	5205701118	POLO	143	5290603012	SPIRE	267
5104003032	GEMINI BEAMS	187	5193004118	QUBO	357	5205702118	POLO	143	5290903012	FIA	273
5104004001	GEMINI XF	193	5193013118	QUBO	153	5205801012	GOLETA	259	5294502012	ZAGO	271
5104005118	GEMINI BEAMS	187	5193201118	LOTUS	183	5206001118	MOON	141	5296602012	PINE	277
5104006012	GEMINI BEAMS	189	5193602118	ADALYN	167	5206501012	SHIVA	269	5602734118	GEMINI	203
5105001125	DOBLO	161	5193801012	CUBA	119	5206701012	BRUND	219	5604011118	FOCUS	231
5105002125	DOBLO	161	5193801118	CUBA	119	5207601012	FULTON	177	5604014118	FOCUS	233
5105003125	DOBLO	163	5193803012	CUBA	123	5207901012	WEST	275	5604021001	FOCUS	229
5107001118	CONROY	115	5193803118	CUBA	123	5212601012	SHYNE	171	5604023118	FOCUS	235
5107101118	RIDGE	227	5193808118	CUBA	119	5264201213	CATE	291	5604101118	FOCUS	231
5107401125	DOBLO	163	5193810118	CUBA	351	5267103001	LEDA	323	5605013118	FOCUS	239
5184601118	BOX CUBE	165	5193811118	CUBA	117	5267106001	ELARA	309	5626001118	TRUMPET	135
5188801118	APOLLO	145	5193812118	CUBA	305	5267106118	ELARA	309	5626101125	TRUMPET	135
5189101118	GEMINI	205	5193814118	CUBA	123	5273601012	KELSEY	285	6273601012	KELSEY	287
5189102032	GEMINI	201	5195401118	QUBO	151	5273603012	KELSEY	285	6303401118	SWEEP	257
5189102118	GEMINI	201	5195404118	QUBO	151	5273701012	KELSEY	285	6304201118	FOCUS	237
5189103118	GEMINI	201	5196004118	POLLUX	307	5273702012	KELSEY	285	6330401118	BONN	209
5189104118	GEMINI	207	5196301118	FELE	127	5287901012	RIALTO	191	6336201118	TITAN	253
5189112012	GEMINI	205	5196501118	URBAN	181	5288001118	MARBO	221	6382201012	ROLA	251
5189112118	GEMINI	205	5197002125	DOBLO	159	5288201118	HEROS	169	6382201118	ROLA	251
5189113118	GEMINI	201	5197401118	STELA	157	5288202118	HEROS	169	6383001118	BULLO	241
5189114118	GEMINI	197	5197501012	SHYNE	173	5288801012	FLAIR	279	6389101118	GEMINI	199
5189120118	GEMINI	361	5198101118	CYRA	131	5288802012	FLAIR	279	6389102012	GEMINI	199
5189125012	GEMINI	197	5198102118	CYRA	131	5288803012	FLAIR	281	6392202457	KAYAH	255

Index: as per ITEM NO.

NEW ITEM	NAME P	AGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME PAG	<u>GE</u>
6397501012	CHANE	173	7196601012	DINE	277	6934601118	CLIDTIC	93	8506204331	NOMA	715
6402101118	HELENA	245	7196603012		277	6935501330		39	8711802311	E27 BULB	345 379
6402105012		245	7200501118		355	6935502330		41	9700357000		99
6402801118		243	7200901118		363	6935802012		49	9700357000		99
6588801012		283	7204803118		237	6938405330		43	9702201012		261
6602903424		349	7207001118		115	6938602330		63	9702202012		261
6604001118		223	7207601012		177	6939101330		73	9702203012		261
6604002118		223	7212601012		171	6939501330		47		REMOTE CONTROL	369
6604003118		225	7264210213		291	6940101125		87		ACCESS BOX	370
6604004118		225	7264230213		291	6941502330		45		CLEAR GLASS FRONT	
6609201118		137	7273604012		287	6943101012		71		CLEAR GLASS SIDE	377
6609202118		137	7273605012		289	6943701125		89		WATER GLASS	378
	GHOST SOLAR		7273606012		289	6943801125		91		CLEAR GLASS	378
6904101331		67 67	7288201118		169		LONDON	99		CLEAR GLASS FRONT	
	DRAGONFLY	67	7288801012		283	6988802012		97		CLEAR GLASS SIDE	377
6906001118		85	7288902118		149	6988804012		97		CLEAR GLASS	378
6906702335		83	7288906118		359		INKA	31		CLEAR GLASS FRONT	
6906703335		83		PANO	139	6990901012		95		CLEAR GLASS SIDE	377
	TABLE CUBE	65	7290901012		273		PRIMA	33		CLEAR GLASS FRONT	
	TABLE CUBE	65	7290903012		273	6996601012		51		CLEAR GLASS SIDE	376
6908501308		79	7622104330		333	7104001118		195		CLEAR GLASS	376
6908701001		81	7622220012		311	7104002012		195		CLEAR GLASS	376
6910601335		75	7622221012		333		POLO	143		BATTERY PACK	
6910802335		57	7622222012		333		QUBO	155		BATTERY PACK	
6910901012		55	7625601345		327		QUBO	357		BATTERY PACK	
6912301335		69	7625701345		327		QUBO	155		BATTERY PACK	
6912401345		29	7632201053		331	7193801118	CUBA	121	9760002330		373
6925601345	SUNSHINE	103	7632406053	LIBRA	313	7193802012	CUBA	125	9788801000	CLEAR GLASS FRONT	376
6925604345		101	7635605331		329		CUBA	125	9788802000	CLEAR GLASS SMALL	377
6925701345		101	8500102331		347		CUBA	121			
6933701330	KOZY	61	8500601012	ROBLE	113	7193805118	CUBA	125			
6933708330	COPPA	59	8506201331	NOMA	345	7196301118	FELE	127			

Index: as per SERIES NAME

NAME	NEW ITEM PA	<u>AGE</u>	NAME	NEW ITEM PA	4GE	NAME	NEW ITEM F	AGE	NAME	NEW ITEM F	PAGE
ACCESS BOX	9704401361	370	CLEAR GLASS SMALI	- 9788802000	377	DOBLO	6943701125	89	FLAIR	6588801012	283
ADALYN	5193602118	167	CONROY	5107001118	115	DOBLO	6943801125	91	FLAIR	5288811012	303
APOLLO	5188801118	145	CONROY	7207001118	115	DOBLO	5197002125	159	FLAIR	6988804012	97
ARC	7632201053	331	COPPA	6933708330	59	DOBLO	5105001125	161	FLAIR	6988802012	97
ARROW	6910601335	75	CUBA	5193811118	117	DOBLO	5105002125	161	FOCUS	5604021001	229
ARTICA	7635605331	329	CUBA	5193801118	119	DOBLO	5105003125	163	FOCUS	5604011118	231
BATTERY PACK	9759801000	374	CUBA	5193808118	119	DOBLO	5107401125	163	FOCUS	5604101118	231
BATTERY PACK	9759804000	374	CUBA	5193801012	119	DRACO	7622220012	311	FOCUS	5604014118	233
BATTERY PACK	9759805000	375	CUBA	7193801118	121	DRAGONFLY	6904101337	67	FOCUS	5604023118	235
BATTERY PACK	9759808000	375	CUBA	7193803118	121	DRAGONFLY	6904101331	67	FOCUS	6304201118	237
BONN	6330401118	209	CUBA	5193803118	123	DROPA	5000501118	355	FOCUS	7204803118	237
BOX CUBE	5184601118	165	CUBA	5193814118	123	DROPA	7200501118	355	FOCUS	5605013118	239
BRICK	6908501308	79	CUBA	5193803012	123	DROPSI	5010901118	353	FRAN	6941502330	45
BRUND	5206701012	219	CUBA	7193802118	125	E27 BULB	8711802311	379	FULTON	5207601012	177
BUBBLE	6908701001	81	CUBA	7193802012	125	EKLIPS	5199001118	129	FULTON	7207601012	177
BULLO	6383001118	241	CUBA	7193805118	125	ELARA	5267106001	309	GEMINI	5189114118	197
CATE	5264201213	29	CUBA	5193812118	305	ELARA	5267106118	309	GEMINI	5189125012	197
CATE	7264210213	291	CUBA	5193810118	351	EXPLORER	6609202118	137	GEMINI	6389101118	199
CATE	7264230213	291	CURTIS	6934601118	93	EXPLORER	6609201118	137	GEMINI	6389102012	199
CLEAR GLASS	9705518000	376	CYPRES	6604001118	223	FADI	6939501330	47	GEMINI	5189102118	201
CLEAR GLASS	9705519000	376	CYPRES	6604002118	223	FELE	5196301118	127	GEMINI	5189113118	201
CLEAR GLASS	9705508000	378	CYPRES	6604003118	225	FELE	7196301118	127	GEMINI	5189102032	201
CLEAR GLASS	9705505000	378	CYPRES	6604004118	225	FIA	6990901012	95	GEMINI	5189103118	201
CLEAR GLASS FRONT	9705516000	376	CYRA	5198101118	131	FIA	5290903012	273	GEMINI	5189135118	201
CLEAR GLASS FRONT	9788801000	376	CYRA	5198102118	131	FIA	7290901012	273	GEMINI	5602734118	203
CLEAR GLASS FRONT	9705514000	377	CYRA	5198102118	325	FIA	7290903012	273	GEMINI	5189101118	205
CLEAR GLASS FRONT	9705501000	377	DAWNY	9760002330	373	FLAIR	5288801012	279	GEMINI	5189112118	205
CLEAR GLASS FRONT	9705506000	378	DIAS	6996601012	51	FLAIR	5288802012	279	GEMINI	5189112012	205
CLEAR GLASS SIDE	9705517000	376	DISO	6906702335	83	FLAIR	5288814012	281	GEMINI	5189104118	207
CLEAR GLASS SIDE	9705515000	377	DISO	6906703335	83	FLAIR	5288803012	281	GEMINI	5189120118	361
CLEAR GLASS SIDE	9705502000	377	DIVA	6938602330	63	FLAIR	5288804012	281	GEMINI XF	5104001118	193
CLEAR GLASS SIDE	9705507000	377	DOBLO	6940101125	87	FLAIR	7288801012	283	GEMINI XF	5104002012	193

Index: as per SERIES NAME

NAME	NEW ITEM P	AGE	NAME	NEW ITEM P	AGE	NAME	NEW ITEM P	AGE	NAME	NEW ITEM PA	<u>AGE</u>
GEMINI XF	5104004001	193	KIRA	5288903118	149	PANO	7289001118	139	SHRIMP II	7622104330	333
GEMINI XF	7104001118	195	KIRA	7288902118	149	PEPPER	8500102331	347	SHYNE	5212601012	171
GEMINI XF	7104002012	195	KIRA	5288909118	359	PINE	5296602012	277	SHYNE	7212601012	171
GEMINI BEAMS	5104005118	187	KIRA	7288906118	359	PINE	7196601012	277	SHYNE	5197501012	173
GEMINI BEAMS	5104003012	187	KITE	5203301345	147	PINE	7196603012	277	SHYNE	6397501012	173
GEMINI BEAMS	5104003032	187	KOZY	6933701330	61	POLLUX	5196004118	307	SPIRE	5290603012	267
GEMINI BEAMS	5104006012	189	LEDA	5267103001	323	POLO	5205701118	143	STELA	5197401118	157
GHOST SOLAR	6901401337	77	LEO	5192701335	217	POLO	5205702118	143	SUNSHINE	6925701345	101
GINBO	6938405330	43	LEO	5192701330	217	POLO	7105701118	143	SUNSHINE	6925604345	101
GOLETA	5205801012	259	LIBRA	7632406053	313	POPPY	6910802335	57	SUNSHINE	7625701345	327
GRIDY	5289401469	185	LINKO	6912301335	69	POPS	6910901012	55	SUNSHINE	7625601345	327
HELENA	6402105012	245	LONDON	6951301189	99	PRIMA	6993801118	33	SUNSHINE	6925601345	103
HELENA	6402101118	245	LONDON	9700359330	99	QUBO	5195401118	151	SWEEP	6303401118	257
HELENA	5102101118	247	LONDON	9700357000	99	QUBO	5195404118	151	TABLE CUBE	6908001337	65
HELENA	5191605012	249	LOTUS	5193201118	183	QUBO	5193001118	153	TABLE CUBE	6908001331	65
HELENA	5191601118	249	LUPS	6402801118	243	QUBO	5193013118	153	TITAN	6336201118	253
HELENA	5191602118	249	MAINS	9702201012	261	QUBO	5193002118	153	TRUMPET	5626001118	135
HEROS	5288201118	169	MAINS	9702202012	261	QUBO	7193001118	155	TRUMPET	5626101125	135
HEROS	5288202118	169	MAINS	9702203012	261	QUBO	7193004118	155	TRY	6939101330	73
HEROS	7288201118	169	MAINS	7202201012	363	QUBO	5193002118	321	TUBON	5198501118	133
INKA	6989101118	31	MARBO	5288001118	221	QUBO	5193004118	357	TUDA	6935501330	39
KARLO	6935802012	49	MAYA	5198302001	211	QUBO	7193003118	357	TUDA	6935502330	41
KAYAH	6392202457	255	MAYA	5198401001	211	RAN	5011701461	213	URBAN	5196501118	181
KELSEY	5273701012	285	MAYA	5198401001	319	REMOTE CONTROL		369	VIDAR	5011602461	215
KELSEY	5273702012	285	MINI LETO	6602903424	349	RIALTO	5287901012	191	WATER GLASS		
KELSEY	5273601012	285	MOON	6906001118	85	RIDGE	5107101118	227	WEST	5207901012	275
KELSEY	5273603012	285	MOON	5206001118	141	ROBLE	8500601012	113	ZAGO	5294502012	271
KELSEY	7273604012	287	MOZE	6943101012	71	ROLA	6382201118	251	ZEBRA	5203501118	175
KELSEY	6273601012	287	NILA	5043104424	179	ROLA	6382201012	251	ZELNA	6912401345	29
KELSEY	7273605012	289	NOMA	8506201331	345	SHIVA	5206501012	269			
KELSEY	7273606012	289	NOMA	8506204331	345	SHRIMP	7622221012	333			
KIRA	5288902118	149	PANO	5289001118	139	SHRIMP	7622222012	333			

